



**Servicio Nacional de Aprendizaje -
Sede Calle 57
N.I.T. 899999034
ORDEN DE COMPRA**

Oracle Colombia Ltda
N.I.T. 800103052
Calle 100 No 13-21 piso 15
Bogota, Bogota
Atte: Kevin Sanchez
kevin.sanchez@oracle.com

Número de Orden **43924**
No de Instrumento
Instrumento agregación **Oracle**
Fecha de Emisión **19/12/19**
Fecha de Vencimiento **31/01/21**
Comprador **Pablo Fernando Arciniegas Chamorro**
Ordenador del gasto **Hernan Guiovanni Rios Linares**
Supervisor **Pablo Arciniegas Chamorro**
Teléfono **5461500**
Detalle de Entrega
Gravámenes adicionales
Justificación **Contratar la adquisición de servicios Oracle Premier Support for systems SW UP Date licence & Support al amparo del instrumento de agregación de demanda CCE-211-AG-2015 requerida para la operación y funcionamiento de los servicios de sistemas de información y aplicaciones del SENA. Propuesta No. 6826997**

Enviar a

Servicio Nacional de Aprendizaje
- Sede Calle 57
Calle 57 8-69
5461500
Bogotá DC
Atte: Oficina de Sistemas

Facturar a

Servicio Nacional de Aprendizaje
- Sede Calle 57
Calle 57 8-69
5461500
Bogotá DC,
Atte: Pablo Fernando Arciniegas Chamorro

Línea Presupuesto	Descripción	Cant.	Unidad	Precio	Total
1	CDP 46419 Servicios Oracle (CCE-211-AG-2015)	1.0	Unidad	1.839.606.089,00	1.839.606.089,00
					1.839.606.089,00 COP



19-Dic-19

Señores
SERVICIO NACIONAL DE APRENDIZAJE SENA
CALLE 57 # 8 - 69
BOGOTA D.C.
Colombia

Estimados Señores,

Los Servicios de Soporte Técnico que se prestan bajo el número de servicio de soporte 6826997 vencerán, o han vencido. Se adjunta al presente un documento de pedido para la renovación de dichos servicios de soporte técnico. Si corresponde, el documento de pedido adjunto podrá incluir servicios de soporte técnico que usted haya solicitado se ordenen en forma adicional a los servicios de soporte técnico que usted renueva.

Para evitar que se interrumpan y/o se den por terminados los servicios de soporte técnico, complete su pedido de renovación de los servicios de soporte técnico identificados en el documento de pedido mediante la emisión de una forma de pago que Oracle acepte de conformidad con la sección "Detalles de Procesamiento de Pedido" del documento de pedido el 24-Dic-19 o antes de esa fecha.

El Soporte Extendido le permite controlar la estrategia de actualización de su base de datos, middleware y aplicaciones al proporcionar mantenimiento y actualizaciones adicionales para Oracle Database, Oracle Fusion Middleware y Oracle Applications por una tarifa suplementaria. Por favor, visite <https://www.oracle.com/support/lifetime-support/resources.html> o comuníquese con Oracle mediante los datos incluidos a continuación para obtener más información sobre el Soporte Extendido.

Si tiene alguna consulta con respecto a su orden o necesita obtener más información, comuníquese conmigo a la dirección de correo electrónico o al número de teléfono que se indican a continuación.

Atentamente,



Martha Liliana Hoyos
Apoderada Especial
ORACLE COLOMBIA LTDA



INFORMACIÓN GENERAL

VENCIMIENTO DE LA OFERTA		ORACLE: Oracle Colombia Limitada	
Número de Servicio de Soporte:	6826997	Representante de Ventas de Soporte de Oracle:	Diana Paola Olaya Ortiz
La oferta vence:	24-Dic-19	Teléfono:	
		Fax:	
		Correo electrónico:	diana.paola.olaya@oracle.com
CLIENTE: SERVICIO NACIONAL DE APRENDIZAJE SENA			
INFORMACIÓN PARA EL ENVÍO DE LA COTIZACIÓN AL CLIENTE		INFORMACIÓN PARA LA FACTURACIÓN AL CLIENTE	
Contacto de la Cuenta:	Pablo Arciniegas	Contacto de la Cuenta:	Pablo Arciniegas
Nombre de la Cuenta:	SERVICIO NACIONAL DE APRENDIZAJE SENA	Nombre de la Cuenta:	SERVICIO NACIONAL DE APRENDIZAJE SENA
Dirección:	CALLE 57 # 8 - 69 BOGOTA CUNDINAMARCA Colombia	Dirección:	CALLE 57 # 8 - 69 BOGOTA CUNDINAMARCA Colombia
Teléfono:		Teléfono:	++5715461500
Fax:		Fax:	
Correo electrónico:	pfarciniegas@sena.edu.co	Correo electrónico:	pfarciniegas@sena.edu.co

Los términos "Usted" y "Su" según se mencionan en este documento de pedido se refieren al Cliente identificado en la tabla que antecede.

Oracle puede enviar ciertas notificaciones acerca de los servicios de soporte técnico por correo electrónico. Por tal motivo, verifique y actualice la Información para el Envío de la Cotización al Cliente y la Información para la Facturación al Cliente en la tabla que antecede para garantizar la recepción de dichas comunicaciones de Oracle. Si es necesario modificar la Información para el Envío de la Cotización al Cliente y la Información para la Facturación al Cliente, envíe la información actualizada por correo electrónico o fax, con Su número de servicio de soporte 6826997, a su Representante de Ventas de Soporte de Oracle identificado en la tabla precedente.

DETALLES DEL SERVICIO

Servicios de Soporte Técnico de Hardware	
Nivel de Servicio:	Oracle Premier Support for Systems

Descripción del Producto	Numero de Serie	CSI #	Can t.	Fecha de Inicio	Fecha de Finalización	Precio
Installed At: Datacenter Level 3 - Calle 93 # 16-25 BOGOTA CUNDINAMARCA 00000 Colombia						
SPARC T5-2 server: model family		20032040	1	2-Mar-20	31-Ene-21	0,00
SPARC T5-2 server: model family	AK00300554	20032040	1	2-Mar-20	31-Ene-21	0,00
One 16 GB DDR3-1066 registered DIMM (for factory installation)		20032040	32	2-Mar-20	31-Ene-21	4.155.655,90
One 300 GB 10000 rpm 2.5-inch SAS-2 HDD with marlin bracket (for factory installation)		20032040	4	2-Mar-20	31-Ene-21	259.728,49
Power cord: Sun Rack jumper, 1 meter, C14RA plug, C13 connector, 13 A (for factory installation)		20032040	2	2-Mar-20	31-Ene-21	16.938,83
SPARC T5-2 server: base with 2 SPARC T5 16-core 3.6 GHz processors (for factory installation)		20032040	1	2-Mar-20	31-Ene-21	8.332.390,14
StorageTek 8 Gb Fibre Channel PCIe HBA: dual port, Emulex (for factory installation)		20032040	2	2-Mar-20	31-Ene-21	903.026,85
Sun Dual Port 10GBase-T Adapter (for factory installation)		20032040	2	2-Mar-20	31-Ene-21	469.769,79
Installed At: Datacenter Level 3 - Carrera 68 No. 169 A 73 Bogota CUNDINAMARCA 111156 Colombia						
StorageTek LTO tape drive: 1 IBM LTO6 8 Gb FC with Oracle Key Manager compatibility for StorageTek SL3000 and StorageTek SL4000		20073599	1	2-Mar-20	31-Ene-21	2.699.786,14
LTO6, IBM, FC, SL3000	464970G+1523K50214	20073599	1	2-Mar-20	31-Ene-21	0,00
StorageTek LTO tape drive: 1 IBM LTO6 8 Gb FC with Oracle Key Manager compatibility for StorageTek SL3000 and StorageTek SL4000		20073599	1	2-Mar-20	31-Ene-21	2.699.786,14
LTO6, IBM, FC, SL3000	464970G+1523K50197	20073599	1	2-Mar-20	31-Ene-21	0,00
StorageTek LTO tape drive: 1 IBM LTO6 8 Gb FC with Oracle Key Manager compatibility for StorageTek SL3000 and StorageTek SL4000		20073599	1	2-Mar-20	31-Ene-21	2.699.786,14

Servicios de Soporte Técnico de Hardware						
Nivel de Servicio: Oracle Premier Support for Systems						

Descripción del Producto	Numero de Serie	CSI #	Can t.	Fecha de Inicio	Fecha de Finalización	Precio
LTO6, IBM, FC, SL3000	464970G+1523K50194	20073599	1	2-Mar-20	31-Ene-21	0,00
StorageTek LTO tape drive: 1 IBM LTO6 8 Gb FC with Oracle Key Manager compatibility for StorageTek SL3000 and StorageTek SL4000		20073599	1	2-Mar-20	31-Ene-21	2.699.786,14
LTO6, IBM, FC, SL3000	464970G+1523K50192	20073599	1	2-Mar-20	31-Ene-21	0,00
StorageTek LTO tape drive: 1 IBM LTO6 8 Gb FC with Oracle Key Manager compatibility for StorageTek SL3000 and StorageTek SL4000		20073599	1	2-Mar-20	31-Ene-21	2.699.786,14
LTO6, IBM, FC, SL3000	464970G+1523K50199	20073599	1	2-Mar-20	31-Ene-21	0,00
StorageTek LTO tape drive: 1 IBM LTO6 8 Gb FC with Oracle Key Manager compatibility for StorageTek SL3000 and StorageTek SL4000		20073599	1	2-Mar-20	31-Ene-21	2.699.786,14
LTO6, IBM, FC, SL3000	464970G+1523K50198	20073599	1	2-Mar-20	31-Ene-21	0,00

Installed At: Datacenter Level 3 - Cra. 68 # 169A-73 Bogota CUNDINAMARCA Colombia

Private Cloud Appliance X5-2: model family		20042427	1	2-Mar-20	31-Ene-21	0,00
Virtual Compute Appliance X5-2: model family	AK00300873	20042427	1	2-Mar-20	31-Ene-21	0,00
Dual port 8 GB fiber channel module for Private Cloud Appliance(for factory installation)		20042427	4	2-Mar-20	31-Ene-21	4.818.151,13
Oracle ZFS Storage System for Private Cloud Appliance X5-2 (for factory installation)		20042427	1	2-Mar-20	31-Ene-21	10.678.690,71
ASSY,DE2-24P DISK SHELF,20x 900GB, 4x 200GB DRVS	1513NM402L	20042427	1	2-Mar-20	31-Ene-21	0,00
ASSY,ZS3-ES,256GB,2x8C CPU,Base	1517NML07D	20042427	1	2-Mar-20	31-Ene-21	0,00
ASSY,ZS3-ES,256GB,2x8C CPU,Base	1517NML07H	20042427	1	2-Mar-20	31-Ene-21	0,00
Private Cloud Appliance X5-2 Base Rack		20042427	1	2-Mar-20	31-Ene-21	27.194.756,84

Servicios de Soporte Técnico de Hardware						
Nivel de Servicio: Oracle Premier Support for Systems						

Descripción del Producto	Numero de Serie	CSI #	Can t.	Fecha de Inicio	Fecha de Finalización	Precio
ASSY,10GE Switch 24p, rear-to-front-airflow,OPUS24	AK00297931	20042427	1	2-Mar-20	31-Ene-21	0,00
ASSY,10GE Switch 24p, rear-to-front-airflow,OPUS24	AK00297930	20042427	1	2-Mar-20	31-Ene-21	0,00
ATO-MFG,OVN,F1-15,Base,R	461440013	20042427	1	2-Mar-20	31-Ene-21	0,00
ASSY,F1-15 CHASSIS, No PS, No Fans, No SCP		20042427	1	2-Mar-20	31-Ene-21	0,00
ATO-MFG,OVN,F1-15,Base,R	461440007	20042427	1	2-Mar-20	31-Ene-21	0,00
ASSY,F1-15 CHASSIS, No PS, No Fans, No SCP		20042427	1	2-Mar-20	31-Ene-21	0,00
RACK 42U-1200 W/HEAVY DUTY PAL	2047RTN-1515RB 0001	20042427	1	2-Mar-20	31-Ene-21	0,00
SUNDC SWITCH IB-36P MANAGED,LF	AK00299797	20042427	1	2-Mar-20	31-Ene-21	0,00
SUNDC SWITCH IB-36P MANAGED,LF	AK00299798	20042427	1	2-Mar-20	31-Ene-21	0,00
X5-2,1U VCA SERVER,BULK-HLS	1512NM105T	20042427	1	2-Mar-20	31-Ene-21	0,00
X5-2,1U VCA SERVER,BULK-HLS	1512NM105R	20042427	1	2-Mar-20	31-Ene-21	0,00
Private Cloud Appliance X5-2 Server		20042427	1	2-Mar-20	31-Ene-21	4.123.225,49
X5-2,1U VCA SERVER,BULK-HLS	1512NM105P	20042427	1	2-Mar-20	31-Ene-21	0,00
X5-2,1U VCA SERVER,BULK-HLS		20042427	1	2-Mar-20	31-Ene-21	0,00
Private Cloud Appliance X5-2 Server		20042427	1	2-Mar-20	31-Ene-21	4.123.225,49
X5-2,1U VCA SERVER,BULK-HLS		20042427	1	2-Mar-20	31-Ene-21	0,00
Oracle FS1-2 system: model family		20046978	1	2-Mar-20	31-Ene-21	0,00
Oracle FS1-2 system: model family	AK00305173	20046978	1	2-Mar-20	31-Ene-21	0,00
1U rack filler panel (for factory installation)		20046978	24	2-Mar-20	31-Ene-21	54.203,33
2 Sun Storage 16 Gb FC short wave optics, Qlogic (for factory installation)		20046978	6	2-Mar-20	31-Ene-21	1.084.083,92
3-phase low voltage 15 kVA PDU (for factory installation)		20046978	2	2-Mar-20	31-Ene-21	1.479.323,03

Servicios de Soporte Técnico de Hardware	
Nivel de Servicio:	Oracle Premier Support for Systems

Descripción del Producto	Numero de Serie	CSI #	Can t.	Fecha de Inicio	Fecha de Finalización	Precio
Cable: 3 meters, mini SAS to mini SAS HD (for factory installation)		20046978	7	2-Mar-20	31-Ene-21	245.048,01
Cable assembly: 3 meters, mini SAS 4x cable, shielded (for factory installation)		20046978	28	2-Mar-20	31-Ene-21	632.381,39
Cable assembly: 3 meters, mini SAS HD to mini SAS HD (for factory installation)		20046978	6	2-Mar-20	31-Ene-21	210.041,11
Cable assembly: 6 meters, mini SAS to mini SAS HD (for factory installation)		20046978	5	2-Mar-20	31-Ene-21	140.215,56
Oracle FS1-2 Controller: performance configuration (for factory installation)		20046978	2	2-Mar-20	31-Ene-21	9.523.001,03
Oracle FS1-2 Pilot with 2 Sun Servers X4-2 (for factory installation)		20046978	1	2-Mar-20	31-Ene-21	2.964.856,89
Oracle Storage Drive Enclosure DE2-24C with twenty-four 4 TB 7200 rpm 3.5-inch SAS HDDs (for factory installation)		20046978	7	2-Mar-20	31-Ene-21	31.876.022,15
Oracle Storage Drive Enclosure DE2-24P with nineteen 1.6 TB SAS SSDs (for factory installation)		20046978	2	2-Mar-20	31-Ene-21	51.314.438,68
Oracle Storage Drive Enclosure DE2-24P with thirteen 400 GB SAS SSDs (for factory installation)		20046978	1	2-Mar-20	31-Ene-21	10.760.662,99
Oracle Storage Drive Enclosure DE2-24P with twenty-four 900 GB 10000 rpm 2.5-inch SAS HDDs (for factory installation)		20046978	10	2-Mar-20	31-Ene-21	34.888.307,63
RACK 42U-1200 W/HEAVY DUTY PAL	2047RTN-1520RB 0114	20046978	1	2-Mar-20	31-Ene-21	0,00
Sun Rack 42U, 1200 mm depth, 600 mm width for Oracle FS Series (for factory installation)		20046978	1	2-Mar-20	31-Ene-21	917.519,06
RACK 42U-1200 W/HEAVY DUTY PAL		20046978	1	2-Mar-20	31-Ene-21	0,00
Sun Rack 42U, 1200 mm depth, 600 mm width for Oracle FS Series (for factory installation)		20046978	1	2-Mar-20	31-Ene-21	917.519,06
RACK 42U-1200 W/HEAVY DUTY PAL		20046978	1	2-Mar-20	31-Ene-21	0,00
RACK 42U-1200 W/HEAVY DUTY PAL	2047RTN-1520RB 0117	20046978	1	2-Mar-20	31-Ene-21	0,00
Sun Storage Dual 16 Gb Fibre Channel PCIe Universal HBA, Qlogic (for factory installation)		20046978	6	2-Mar-20	31-Ene-21	1.915.215,31

Servicios de Soporte Técnico de Hardware						
Nivel de Servicio: Oracle Premier Support for Systems						

Descripción del Producto	Numero de Serie	CSI #	Can t.	Fecha de Inicio	Fecha de Finalización	Precio
Oracle Server X5-2: model family		20073599	1	2-Mar-20	31-Ene-21	0,00
Oracle Server X5-2: model family	1523NM10GL	20073599	1	2-Mar-20	31-Ene-21	0,00
2 Sun Storage 16 Gb FC short wave optics, Emulex (for factory installation)		20073599	1	2-Mar-20	31-Ene-21	154.331,36
DVD-RW drive (for factory installation)		20073599	1	2-Mar-20	31-Ene-21	20.674,04
Eight 2.5 inch drive slots, 1 DVD-RW drive slot, and disk cage for 1U		20073599	1	2-Mar-20	31-Ene-21	92.019,69
Heat sink for 1U (for factory installation)		20073599	2	2-Mar-20	31-Ene-21	12.971,98
Intel® Xeon® E5-2630 v3 8-core 2.4 GHz processor (for factory installation)		20073599	2	2-Mar-20	31-Ene-21	454.018,03
One 600 GB 10000 rpm 2.5-inch SAS-3 HDD with marlin bracket (for factory installation)		20073599	2	2-Mar-20	31-Ene-21	144.544,53
One 8 GB DDR4-2133 DIMM (for factory installation)		20073599	16	2-Mar-20	31-Ene-21	752.373,07
Oracle Server X5-2: 1U base chassis with motherboard, internal 12 Gb SAS RAID HBA, 2 PSUs, slide rail kit, and cable management arm		20073599	1	2-Mar-20	31-Ene-21	92.019,69
OSA 8 GB USB stick (for factory installation)		20073599	1	2-Mar-20	31-Ene-21	5.675,18
PCIe filler panel (for factory installation)		20073599	2	2-Mar-20	31-Ene-21	810,70
Power cord: Sun Rack jumper, 1 meter, C14RA plug, C13 connector, 13 A (for factory installation)		20073599	2	2-Mar-20	31-Ene-21	16.938,83
Sun Storage Dual 16 Gb Fibre Channel PCIe Universal HBA, Emulex (for factory installation)		20073599	1	2-Mar-20	31-Ene-21	361.361,30

Oracle Server X5-2: model family		20073599	1	2-Mar-20	31-Ene-21	0,00
Oracle Server X5-2: model family	1523NM10GK	20073599	1	2-Mar-20	31-Ene-21	0,00
2 Sun Storage 16 Gb FC short wave optics, Emulex (for factory installation)		20073599	1	2-Mar-20	31-Ene-21	154.331,36
DVD-RW drive (for factory installation)		20073599	1	2-Mar-20	31-Ene-21	20.674,04

Servicios de Soporte Técnico de Hardware						
Nivel de Servicio:		Oracle Premier Support for Systems				

Descripción del Producto	Numero de Serie	CSI #	Can t.	Fecha de Inicio	Fecha de Finalización	Precio
Eight 2.5 inch drive slots, 1 DVD-RW drive slot, and disk cage for 1U		20073599	1	2-Mar-20	31-Ene-21	92.019,69
Heat sink for 1U (for factory installation)		20073599	2	2-Mar-20	31-Ene-21	12.971,98
Intel® Xeon® E5-2630 v3 8-core 2.4 GHz processor (for factory installation)		20073599	2	2-Mar-20	31-Ene-21	454.018,03
One 600 GB 10000 rpm 2.5-inch SAS-3 HDD with marlin bracket (for factory installation)		20073599	2	2-Mar-20	31-Ene-21	144.544,53
One 8 GB DDR4-2133 DIMM (for factory installation)		20073599	16	2-Mar-20	31-Ene-21	752.373,07
Oracle Server X5-2: 1U base chassis with motherboard, internal 12 Gb SAS RAID HBA, 2 PSUs, slide rail kit, and cable management arm		20073599	1	2-Mar-20	31-Ene-21	92.019,69
OSA 8 GB USB stick (for factory installation)		20073599	1	2-Mar-20	31-Ene-21	5.675,18
PCIe filler panel (for factory installation)		20073599	2	2-Mar-20	31-Ene-21	810,70
Power cord: Sun Rack jumper, 1 meter, C14RA plug, C13 connector, 13 A (for factory installation)		20073599	2	2-Mar-20	31-Ene-21	16.938,83
Sun Storage Dual 16 Gb Fibre Channel PCIe Universal HBA, Emulex (for factory installation)		20073599	1	2-Mar-20	31-Ene-21	361.361,30
Oracle Server X5-2: model family		20073599	1	2-Mar-20	31-Ene-21	154.331,36
Oracle Server X5-2: model family	1523NM10GG	20073599	1	2-Mar-20	31-Ene-21	0,00
2 Sun Storage 16 Gb FC short wave optics, Emulex (for factory installation)		20073599	1	2-Mar-20	31-Ene-21	154.331,36
DVD-RW drive (for factory installation)		20073599	1	2-Mar-20	31-Ene-21	20.674,04
Eight 2.5 inch drive slots, 1 DVD-RW drive slot, and disk cage for 1U		20073599	1	2-Mar-20	31-Ene-21	92.019,69
Heat sink for 1U (for factory installation)		20073599	2	2-Mar-20	31-Ene-21	12.971,98
Intel® Xeon® E5-2630 v3 8-core 2.4 GHz processor (for factory installation)		20073599	2	2-Mar-20	31-Ene-21	454.018,03
One 600 GB 10000 rpm 2.5-inch SAS-3 HDD with marlin bracket (for factory installation)		20073599	2	2-Mar-20	31-Ene-21	144.544,53

Servicios de Soporte Técnico de Hardware						
Nivel de Servicio: Oracle Premier Support for Systems						

Descripción del Producto	Numero de Serie	CSI #	Can t.	Fecha de Inicio	Fecha de Finalización	Precio
One 8 GB DDR4-2133 DIMM (for factory installation)		20073599	16	2-Mar-20	31-Ene-21	752.373,07
Oracle Server X5-2: 1U base chassis with motherboard, internal 12 Gb SAS RAID HBA, 2 PSUs, slide rail kit, and cable management arm		20073599	1	2-Mar-20	31-Ene-21	92.019,69
OSA 8 GB USB stick (for factory installation)		20073599	1	2-Mar-20	31-Ene-21	5.675,18
PCIe filler panel (for factory installation)		20073599	2	2-Mar-20	31-Ene-21	810,70
Power cord: Sun Rack jumper, 1 meter, C14RA plug, C13 connector, 13 A (for factory installation)		20073599	2	2-Mar-20	31-Ene-21	16.938,83
Sun Storage Dual 16 Gb Fibre Channel PCIe Universal HBA, Emulex (for factory installation)		20073599	1	2-Mar-20	31-Ene-21	361.361,30
Oracle Server X5-2: model family		20073599	1	2-Mar-20	31-Ene-21	0,00
Oracle Server X5-2: model family	1523NM10GB	20073599	1	2-Mar-20	31-Ene-21	0,00
2 Sun Storage 16 Gb FC short wave optics, Emulex (for factory installation)		20073599	1	2-Mar-20	31-Ene-21	154.331,36
DVD-RW drive (for factory installation)		20073599	1	2-Mar-20	31-Ene-21	20.674,04
Eight 2.5 inch drive slots, 1 DVD-RW drive slot, and disk cage for 1U		20073599	1	2-Mar-20	31-Ene-21	92.019,69
Heat sink for 1U (for factory installation)		20073599	2	2-Mar-20	31-Ene-21	12.971,98
Intel® Xeon® E5-2630 v3 8-core 2.4 GHz processor (for factory installation)		20073599	2	2-Mar-20	31-Ene-21	454.018,03
One 1.2 TB 10000 rpm 2.5-inch SAS-3 HDD with marlin bracket (for factory installation)		20073599	2	2-Mar-20	31-Ene-21	239.401,82
One 8 GB DDR4-2133 DIMM (for factory installation)		20073599	16	2-Mar-20	31-Ene-21	752.373,07
Oracle Server X5-2: 1U base chassis with motherboard, internal 12 Gb SAS RAID HBA, 2 PSUs, slide rail kit, and cable management arm		20073599	1	2-Mar-20	31-Ene-21	720.753,74
OSA 8 GB USB stick (for factory installation)		20073599	1	2-Mar-20	31-Ene-21	5.675,18

Servicios de Soporte Técnico de Hardware	
Nivel de Servicio:	Oracle Premier Support for Systems

Descripción del Producto	Numero de Serie	CSI #	Can t.	Fecha de Inicio	Fecha de Finalización	Precio
PCIe filler panel (for factory installation)		20073599	1	2-Mar-20	31-Ene-21	405,35
Power cord: Sun Rack jumper, 1 meter, C14RA plug, C13 connector, 13 A (for factory installation)		20073599	2	2-Mar-20	31-Ene-21	16.938,83
Sun Dual Port 10GBase-T Adapter (for factory installation)		20073599	1	2-Mar-20	31-Ene-21	234.884,89
Sun Storage Dual 16 Gb Fibre Channel PCIe Universal HBA, Emulex (for factory installation)		20073599	1	2-Mar-20	31-Ene-21	361.361,30
Oracle Server X5-2: model family		20073599	1	2-Mar-20	31-Ene-21	0,00
Oracle Server X5-2: model family	1523NM10GU	20073599	1	2-Mar-20	31-Ene-21	0,00
2 Sun Storage 16 Gb FC short wave optics, Emulex (for factory installation)		20073599	1	2-Mar-20	31-Ene-21	154.331,36
DVD-RW drive (for factory installation)		20073599	1	2-Mar-20	31-Ene-21	20.674,04
Eight 2.5 inch drive slots, 1 DVD-RW drive slot, and disk cage for 1U		20073599	1	2-Mar-20	31-Ene-21	92.019,69
Heat sink for 1U (for factory installation)		20073599	2	2-Mar-20	31-Ene-21	12.971,98
Intel® Xeon® E5-2630 v3 8-core 2.4 GHz processor (for factory installation)		20073599	2	2-Mar-20	31-Ene-21	454.018,03
One 600 GB 10000 rpm 2.5-inch SAS-3 HDD with marlin bracket (for factory installation)		20073599	2	2-Mar-20	31-Ene-21	144.544,53
One 8 GB DDR4-2133 DIMM (for factory installation)		20073599	16	2-Mar-20	31-Ene-21	752.373,07
Oracle Server X5-2: 1U base chassis with motherboard, internal 12 Gb SAS RAID HBA, 2 PSUs, slide rail kit, and cable management arm		20073599	1	2-Mar-20	31-Ene-21	92.019,69
OSA 8 GB USB stick (for factory installation)		20073599	1	2-Mar-20	31-Ene-21	5.675,18
PCIe filler panel (for factory installation)		20073599	2	2-Mar-20	31-Ene-21	810,70
Power cord: Sun Rack jumper, 1 meter, C14RA plug, C13 connector, 13 A (for factory installation)		20073599	2	2-Mar-20	31-Ene-21	16.938,83
Sun Storage Dual 16 Gb Fibre Channel PCIe Universal HBA, Emulex (for factory installation)		20073599	1	2-Mar-20	31-Ene-21	361.361,30

Servicios de Soporte Técnico de Hardware						
Nivel de Servicio: Oracle Premier Support for Systems						

Descripción del Producto	Numero de Serie	CSI #	Can t.	Fecha de Inicio	Fecha de Finalización	Precio
Oracle Server X5-2: model family		20073599	1	2-Mar-20	31-Ene-21	0,00
Oracle Server X5-2: model family	1523NM10GN	20073599	1	2-Mar-20	31-Ene-21	0,00
2 Sun Storage 16 Gb FC short wave optics, Emulex (for factory installation)		20073599	1	2-Mar-20	31-Ene-21	154.331,36
DVD-RW drive (for factory installation)		20073599	1	2-Mar-20	31-Ene-21	20.674,04
Eight 2.5 inch drive slots, 1 DVD-RW drive slot, and disk cage for 1U		20073599	1	2-Mar-20	31-Ene-21	92.019,69
Heat sink for 1U (for factory installation)		20073599	2	2-Mar-20	31-Ene-21	12.971,98
Intel® Xeon® E5-2630 v3 8-core 2.4 GHz processor (for factory installation)		20073599	2	2-Mar-20	31-Ene-21	454.018,03
One 600 GB 10000 rpm 2.5-inch SAS-3 HDD with marlin bracket (for factory installation)		20073599	2	2-Mar-20	31-Ene-21	144.544,53
One 8 GB DDR4-2133 DIMM (for factory installation)		20073599	16	2-Mar-20	31-Ene-21	752.373,07
Oracle Server X5-2: 1U base chassis with motherboard, internal 12 Gb SAS RAID HBA, 2 PSUs, slide rail kit, and cable management arm		20073599	1	2-Mar-20	31-Ene-21	92.019,69
OSA 8 GB USB stick (for factory installation)		20073599	1	2-Mar-20	31-Ene-21	5.675,18
PCIe filler panel (for factory installation)		20073599	2	2-Mar-20	31-Ene-21	810,70
Power cord: Sun Rack jumper, 1 meter, C14RA plug, C13 connector, 13 A (for factory installation)		20073599	2	2-Mar-20	31-Ene-21	16.938,83
Sun Storage Dual 16 Gb Fibre Channel PCIe Universal HBA, Emulex (for factory installation)		20073599	1	2-Mar-20	31-Ene-21	361.361,30

Oracle Server X5-2: model family		20073599	1	2-Mar-20	31-Ene-21	0,00
Oracle Server X5-2: model family	1523NM10GM	20073599	1	2-Mar-20	31-Ene-21	0,00
2 Sun Storage 16 Gb FC short wave optics, Emulex (for factory installation)		20073599	1	2-Mar-20	31-Ene-21	154.331,36
DVD-RW drive (for factory installation)		20073599	1	2-Mar-20	31-Ene-21	20.674,04

Servicios de Soporte Técnico de Hardware						
Nivel de Servicio: Oracle Premier Support for Systems						

Descripción del Producto	Numero de Serie	CSI #	Can t.	Fecha de Inicio	Fecha de Finalización	Precio
Eight 2.5 inch drive slots, 1 DVD-RW drive slot, and disk cage for 1U		20073599	1	2-Mar-20	31-Ene-21	92.019,69
Heat sink for 1U (for factory installation)		20073599	2	2-Mar-20	31-Ene-21	12.971,98
Intel® Xeon® E5-2630 v3 8-core 2.4 GHz processor (for factory installation)		20073599	2	2-Mar-20	31-Ene-21	454.018,03
One 600 GB 10000 rpm 2.5-inch SAS-3 HDD with marlin bracket (for factory installation)		20073599	2	2-Mar-20	31-Ene-21	144.544,53
One 8 GB DDR4-2133 DIMM (for factory installation)		20073599	16	2-Mar-20	31-Ene-21	752.373,07
Oracle Server X5-2: 1U base chassis with motherboard, internal 12 Gb SAS RAID HBA, 2 PSUs, slide rail kit, and cable management arm		20073599	1	2-Mar-20	31-Ene-21	92.019,69
OSA 8 GB USB stick (for factory installation)		20073599	1	2-Mar-20	31-Ene-21	5.675,18
PCIe filler panel (for factory installation)		20073599	2	2-Mar-20	31-Ene-21	810,70
Power cord: Sun Rack jumper, 1 meter, C14RA plug, C13 connector, 13 A (for factory installation)		20073599	2	2-Mar-20	31-Ene-21	16.938,83
Sun Storage Dual 16 Gb Fibre Channel PCIe Universal HBA, Emulex (for factory installation)		20073599	1	2-Mar-20	31-Ene-21	361.361,30
Oracle Server X5-2: model family		20073599	1	2-Mar-20	31-Ene-21	0,00
Oracle Server X5-2: model family	1523NM10GE	20073599	1	2-Mar-20	31-Ene-21	0,00
2 Sun Storage 16 Gb FC short wave optics, Emulex (for factory installation)		20073599	1	2-Mar-20	31-Ene-21	154.331,36
DVD-RW drive (for factory installation)		20073599	1	2-Mar-20	31-Ene-21	20.674,04
Eight 2.5 inch drive slots, 1 DVD-RW drive slot, and disk cage for 1U		20073599	1	2-Mar-20	31-Ene-21	92.019,69
Heat sink for 1U (for factory installation)		20073599	2	2-Mar-20	31-Ene-21	12.971,98
Intel® Xeon® E5-2630 v3 8-core 2.4 GHz processor (for factory installation)		20073599	2	2-Mar-20	31-Ene-21	454.018,03
One 600 GB 10000 rpm 2.5-inch SAS-3 HDD with marlin bracket (for factory installation)		20073599	2	2-Mar-20	31-Ene-21	144.544,53

Servicios de Soporte Técnico de Hardware						
Nivel de Servicio:		Oracle Premier Support for Systems				

Descripción del Producto	Numero de Serie	CSI #	Can t.	Fecha de Inicio	Fecha de Finalización	Precio
One 8 GB DDR4-2133 DIMM (for factory installation)		20073599	16	2-Mar-20	31-Ene-21	752.373,07
Oracle Server X5-2: 1U base chassis with motherboard, internal 12 Gb SAS RAID HBA, 2 PSUs, slide rail kit, and cable management arm		20073599	1	2-Mar-20	31-Ene-21	92.019,69
OSA 8 GB USB stick (for factory installation)		20073599	1	2-Mar-20	31-Ene-21	5.675,18
PCIe filler panel (for factory installation)		20073599	2	2-Mar-20	31-Ene-21	810,70
Power cord: Sun Rack jumper, 1 meter, C14RA plug, C13 connector, 13 A (for factory installation)		20073599	2	2-Mar-20	31-Ene-21	16.938,83
Sun Storage Dual 16 Gb Fibre Channel PCIe Universal HBA, Emulex (for factory installation)		20073599	1	2-Mar-20	31-Ene-21	361.361,30
Oracle Storage Drive Enclosure DE2-24P: model family		20073599	1	2-Mar-20	31-Ene-21	0,00
Oracle Storage Drive Enclosure DE2-24P: model family	1523NM4007	20073599	1	2-Mar-20	31-Ene-21	0,00
Filler panel (for factory installation)		20073599	2	2-Mar-20	31-Ene-21	54.203,33
One 2.5-inch SSD write flash accelerator with evo bracket (for factory installation)		20073599	2	2-Mar-20	31-Ene-21	1.006.165,43
One 900 GB 10000 rpm 2.5 inch SAS-2 HDD with evo bracket (for factory installation)		20073599	20	2-Mar-20	31-Ene-21	3.161.912,02
Oracle Storage Drive Enclosure DE2-24P: base chassis (for factory installation)		20073599	1	2-Mar-20	31-Ene-21	766.198,97
Power cord: Sun Rack 2 jumper, 1 meter, C14RA plug, C13 connector, 13 A (for factory installation)		20073599	2	2-Mar-20	31-Ene-21	10.916,12
Private Cloud Appliance X5-2: model family		20073599	1	2-Mar-20	31-Ene-21	0,00
Virtual Compute Appliance X5-2: model family	AK00307304	20073599	1	2-Mar-20	31-Ene-21	0,00
Dual port 8 GB fiber channel module for Private Cloud Appliance(for factory installation)		20073599	4	2-Mar-20	31-Ene-21	4.818.151,13
Oracle ZFS Storage System for Private Cloud Appliance X5-2 (for factory installation)		20073599	1	2-Mar-20	31-Ene-21	10.166.256,28

Servicios de Soporte Técnico de Hardware						
Nivel de Servicio: Oracle Premier Support for Systems						

Descripción del Producto	Numero de Serie	CSI #	Can t.	Fecha de Inicio	Fecha de Finalización	Precio
ASSY,DE2-24P DISK SHELF,20x 900GB, 4x 200GB DRVS	1514NM400D	20073599	1	2-Mar-20	31-Ene-21	0,00
ASSY,ZS3-ES,256GB,2x8C CPU,Base	1511NML1DK	20073599	1	2-Mar-20	31-Ene-21	0,00
ASSY,ZS3-ES,256GB,2x8C CPU,Base	1515NML17R	20073599	1	2-Mar-20	31-Ene-21	0,00
Private Cloud Appliance X5-2 Base Rack		20073599	1	2-Mar-20	31-Ene-21	27.194.756,84
ASSY,10GE Switch 24p, rear-to-front-airflow,OPUS24	AK00305403	20073599	1	2-Mar-20	31-Ene-21	0,00
ASSY,10GE Switch 24p, rear-to-front-airflow,OPUS24	AK00305404	20073599	1	2-Mar-20	31-Ene-21	0,00
ATO-MFG,OVN,F1-15,Base,R	151540081	20073599	1	2-Mar-20	31-Ene-21	0,00
ASSY,F1-15 CHASSIS, No PS, No Fans, No SCP		20073599	1	2-Mar-20	31-Ene-21	0,00
ATO-MFG,OVN,F1-15,Base,R	461440018	20073599	1	2-Mar-20	31-Ene-21	0,00
ASSY,F1-15 CHASSIS, No PS, No Fans, No SCP		20073599	1	2-Mar-20	31-Ene-21	0,00
RACK 42U-1200 W/HEAVY DUTY PAL	2047RTN-1522RB 0004	20073599	1	2-Mar-20	31-Ene-21	0,00
SUNDC SWITCH IB-36P MANAGED,LF	AK00304779	20073599	1	2-Mar-20	31-Ene-21	0,00
SUNDC SWITCH IB-36P MANAGED,LF	AK00304781	20073599	1	2-Mar-20	31-Ene-21	0,00
Private Cloud Appliance X5-2 Server		20073599	1	2-Mar-20	31-Ene-21	4.123.225,49
X5-2,1U VCA SERVER,BULK-HLS	1517NM10FY	20073599	1	2-Mar-20	31-Ene-21	0,00
X5-2,1U VCA SERVER,BULK-HLS	1509NM10N6	20073599	1	2-Mar-20	31-Ene-21	0,00
Private Cloud Appliance X5-2 Server		20073599	1	2-Mar-20	31-Ene-21	4.123.225,49
X5-2,1U VCA SERVER,BULK-HLS	1517NM100Y	20073599	1	2-Mar-20	31-Ene-21	0,00
StorageTek LTO tape drive: 1 IBM LTO6 8 Gb FC with Oracle Key Manager compatibility for StorageTek SL3000 and StorageTek SL4000		20073599	1	2-Mar-20	31-Ene-21	2.699.786,14
LTO6, IBM, FC, SL3000	464970G+1523K5 0213	20073599	1	2-Mar-20	31-Ene-21	0,00

Servicios de Soporte Técnico de Hardware						
Nivel de Servicio:		Oracle Premier Support for Systems				

Descripción del Producto	Numero de Serie	CSI #	Can t.	Fecha de Inicio	Fecha de Finalización	Precio
StorageTek LTO tape drive: 1 IBM LTO6 8 Gb FC with Oracle Key Manager compatibility for StorageTek SL3000 and StorageTek SL4000		20073599	1	2-Mar-20	31-Ene-21	2.699.786,14
LTO6, IBM, FC, SL3000	464970G+1523K50211	20073599	1	2-Mar-20	31-Ene-21	0,00
StorageTek LTO tape drive: 1 IBM LTO6 8 Gb FC with Oracle Key Manager compatibility for StorageTek SL3000 and StorageTek SL4000		20073599	1	2-Mar-20	31-Ene-21	2.699.786,14
LTO6, IBM, FC, SL3000	464970G+1523K50209	20073599	1	2-Mar-20	31-Ene-21	0,00
StorageTek LTO tape drive: 1 IBM LTO6 8 Gb FC with Oracle Key Manager compatibility for StorageTek SL3000 and StorageTek SL4000		20073599	1	2-Mar-20	31-Ene-21	2.699.786,14
LTO6, IBM, FC, SL3000	464970G+1523K50207	20073599	1	2-Mar-20	31-Ene-21	0,00
StorageTek LTO tape drive: 1 IBM LTO6 8 Gb FC with Oracle Key Manager compatibility for StorageTek SL3000 and StorageTek SL4000		20073599	1	2-Mar-20	31-Ene-21	2.699.786,14
LTO6, IBM, FC, SL3000	464970G+1523K50215	20073599	1	2-Mar-20	31-Ene-21	0,00
StorageTek LTO tape drive: 1 IBM LTO6 8 Gb FC with Oracle Key Manager compatibility for StorageTek SL3000 and StorageTek SL4000		20073599	1	2-Mar-20	31-Ene-21	2.699.786,14
LTO6, IBM, FC, SL3000	464970G+1523K50210	20073599	1	2-Mar-20	31-Ene-21	0,00
StorageTek LTO tape drive: 1 IBM LTO6 8 Gb FC with Oracle Key Manager compatibility for StorageTek SL3000 and StorageTek SL4000		20073599	1	2-Mar-20	31-Ene-21	2.699.786,14
LTO6, IBM, FC, SL3000	464970G+1523K50205	20073599	1	2-Mar-20	31-Ene-21	0,00

Servicios de Soporte Técnico de Hardware						
Nivel de Servicio:		Oracle Premier Support for Systems				

Descripción del Producto	Numero de Serie	CSI #	Can t.	Fecha de Inicio	Fecha de Finalización	Precio
StorageTek LTO tape drive: 1 IBM LTO6 8 Gb FC with Oracle Key Manager compatibility for StorageTek SL3000 and StorageTek SL4000		20073599	1	2-Mar-20	31-Ene-21	2.699.786,14
LTO6, IBM, FC, SL3000	464970G+1523K50204	20073599	1	2-Mar-20	31-Ene-21	0,00
StorageTek SL3000 modular library system		20073599	1	2-Mar-20	31-Ene-21	2.283.554,61
StorageTek SL3000 modular library system	571000201732	20073599	1	2-Mar-20	31-Ene-21	0,00
AC, 30 A, 200-240 V PDU		20073599	2	2-Mar-20	31-Ene-21	313.295,67
DC, 1200 W PSU		20073599	2	2-Mar-20	31-Ene-21	253.647,85
One drive array with 8 slots		20073599	2	2-Mar-20	31-Ene-21	658.152,46
Operator panel		20073599	1	2-Mar-20	31-Ene-21	447.792,74
Power cord: United Sates, 3.6 meters, L6-30P plug, L6-30R connector, 30 A		20073599	2	2-Mar-20	31-Ene-21	15.056,70
StorageTek SL3000 modular library system: activation permit for 200 cartridge slots		20073599	1	2-Mar-20	31-Ene-21	2.283.554,61
StorageTek SL3000 modular library system: base module with 1 drive array with 8 slots, no activated cartridge slots, and 205 - 421 physical slots for EU countries. Separately priced activation permit required		20073599	1	2-Mar-20	31-Ene-21	7.559.777,61
SL3000,BASE		20073599	1	2-Mar-20	31-Ene-21	0,00
Storage ZS3-2 ATO Base Model		20073599	1	2-Mar-20	31-Ene-21	0,00
Oracle ZFS Storage ZS3-2: model family	1523NM2011	20073599	1	2-Mar-20	31-Ene-21	0,00
One 1.6 TB 2.5-inch SAS SSD read flash accelerator with bracket (for factory installation)		20073599	1	2-Mar-20	31-Ene-21	1.364.703,68
One 32GB DDR3-1066 registered DIMM (for factory installation)		20073599	16	2-Mar-20	31-Ene-21	3.833.210,08
Oracle ZFS Storage ZS3-2: controller		20073599	1	2-Mar-20	31-Ene-21	417.002,29
ASSY, ZS3-2, Base		20073599	1	2-Mar-20	31-Ene-21	0,00
Power cord: Sun Rack 2 jumper, 1 meter, C14RA plug, C13 connector, 13 A (for factory installation)		20073599	2	2-Mar-20	31-Ene-21	10.916,12

Servicios de Soporte Técnico de Hardware						
Nivel de Servicio:		Oracle Premier Support for Systems				

Descripción del Producto	Numero de Serie	CSI #	Can t.	Fecha de Inicio	Fecha de Finalización	Precio
StorageTek 8 Gb Fibre Channel PCIe HBA dual port QLogic (for factory Installation)		20073599	1	2-Mar-20	31-Ene-21	451.513,42
Sun Dual Port 10GBase-T Adapter (for factory installation)		20073599	1	2-Mar-20	31-Ene-21	469.769,79
Storage ZS3-2 ATO Base Model		20073599	1	2-Mar-20	31-Ene-21	0,00
Oracle ZFS Storage ZS3-2: model family	1523NM2010	20073599	1	2-Mar-20	31-Ene-21	0,00
One 1.6 TB 2.5-inch SAS SSD read flash accelerator with bracket (for factory installation)		20073599	1	2-Mar-20	31-Ene-21	1.364.703,68
One 32GB DDR3-1066 registered DIMM (for factory installation)		20073599	16	2-Mar-20	31-Ene-21	3.833.210,08
Oracle ZFS Storage ZS3-2: controller		20073599	1	2-Mar-20	31-Ene-21	3.217.809,75
ASSY, ZS3-2, Base		20073599	1	2-Mar-20	31-Ene-21	0,00
Power cord: Sun Rack 2 jumper, 1 meter, C14RA plug, C13 connector, 13 A (for factory installation)		20073599	2	2-Mar-20	31-Ene-21	10.916,12
StorageTek 8 Gb Fibre Channel PCIe HBA dual port QLogic (for factory Installation)		20073599	1	2-Mar-20	31-Ene-21	451.513,42
Sun Dual Port 10GBase-T Adapter (for factory installation)		20073599	1	2-Mar-20	31-Ene-21	234.884,89

Installed At: Level 3 Datacenter - Carrera 68 No. 169A-73 Bogota CUNDINAMARCA 111156 Colombia

Private Cloud Appliance X5-2: model family		20042427	1	2-Mar-20	31-Ene-21	0,00
Virtual Compute Appliance X5-2: model family	AK00300872	20042427	1	2-Mar-20	31-Ene-21	0,00
Dual port 8 GB fiber channel module for Private Cloud Appliance(for factory installation)		20042427	4	2-Mar-20	31-Ene-21	0,00
Oracle ZFS Storage System for Private Cloud Appliance X5-2 (for factory installation)		20042427	1	2-Mar-20	31-Ene-21	10.678.690,71
ASSY,DE2-24P DISK SHELF,20x 900GB, 4x 200GB DRVS	1513NM402M	20042427	1	2-Mar-20	31-Ene-21	0,00
ASSY,ZS3-ES,256GB,2x8C CPU,Base	1517NML07U	20042427	1	2-Mar-20	31-Ene-21	4.123.225,49
ASSY,ZS3-ES,256GB,2x8C CPU,Base	1517NML07W	20042427	1	2-Mar-20	31-Ene-21	0,00

Servicios de Soporte Técnico de Hardware						
Nivel de Servicio: Oracle Premier Support for Systems						

Descripción del Producto	Numero de Serie	CSI #	Can t.	Fecha de Inicio	Fecha de Finalización	Precio
Private Cloud Appliance X5-2 Base Rack		20042427	1	2-Mar-20	31-Ene-21	4.123.225,49
ASSY,10GE Switch 24p, rear-to-front-airflow,OPUS24	AK00297932	20042427	1	2-Mar-20	31-Ene-21	0,00
ASSY,10GE Switch 24p, rear-to-front-airflow,OPUS24	AK00297933	20042427	1	2-Mar-20	31-Ene-21	0,00
ATO-MFG,OVN,F1-15,Base,R	491440001	20042427	1	2-Mar-20	31-Ene-21	27.194.756,84
F1-15 CHASSIS-SILVER, No PS, No Fans, No SCP		20042427	1	2-Mar-20	31-Ene-21	0,00
ATO-MFG,OVN,F1-15,Base,R	491440002	20042427	1	2-Mar-20	31-Ene-21	0,00
F1-15 CHASSIS-SILVER, No PS, No Fans, No SCP		20042427	1	2-Mar-20	31-Ene-21	0,00
RACK 42U-1200 W/HEAVY DUTY PAL	2047RTN-1518RB 0163	20042427	1	2-Mar-20	31-Ene-21	0,00
SUNDC SWITCH IB-36P MANAGED,LF	AK00300123	20042427	1	2-Mar-20	31-Ene-21	0,00
SUNDC SWITCH IB-36P MANAGED,LF	AK00300125	20042427	1	2-Mar-20	31-Ene-21	10.678.690,71
Private Cloud Appliance X5-2 Server		20042427	1	2-Mar-20	31-Ene-21	4.123.225,49
X5-2,1U VCA SERVER,BULK-HLS		20042427	1	2-Mar-20	31-Ene-21	0,00
Private Cloud Appliance X5-2 Server		20042427	1	2-Mar-20	31-Ene-21	4.123.225,49
X5-2,1U VCA SERVER,BULK-HLS		20042427	1	2-Mar-20	31-Ene-21	0,00
Oracle SuperCluster T5-8: model family		20046891	1	2-Mar-20	31-Ene-21	0,00
Oracle SuperCluster T5-8: model family	AK00301698	20046891	1	2-Mar-20	31-Ene-21	0,00
ASSY,ZS3-ES,256GB,2x8C CPU,Base	1517NML07M	20046891	1	2-Mar-20	31-Ene-21	0,00
ASSY,ZS3-ES,256GB,2x8C CPU,Base	1517NML073	20046891	1	2-Mar-20	31-Ene-21	0,00
Oracle SuperCluster T5-8: 42U base cabinet (for factory installation)		20046891	1	2-Mar-20	31-Ene-21	0,00
RACK 42U-1200 W/HEAVY DUTY PAL	2047RTN-1513RB 0023	20046891	1	2-Mar-20	31-Ene-21	0,00
Oracle SuperCluster T5-8 EF Full Rack		20046891	1	2-Mar-20	31-Ene-21	220.059.786,93

Servicios de Soporte Técnico de Hardware						
Nivel de Servicio:		Oracle Premier Support for Systems				

Descripción del Producto	Numero de Serie	CSI #	Can t.	Fecha de Inicio	Fecha de Finalización	Precio
ASSY,DISK SHELF,STORAGE DE2-24C (20x 4TB, 4x 200GB)	1519NMT09E	20046891	1	2-Mar-20	31-Ene-21	0,00
ASSY,T5-8,FULL,4x 3.6G PMs,2TB,8x 1.2TB SAS,CX3,SFP+PCIe,SC T5-8	AK00300856	20046891	1	2-Mar-20	31-Ene-21	0,00
ASSY,T5-8,FULL,4x 3.6G PMs,2TB,8x 1.2TB SAS,CX3,SFP+PCIe,SC T5-8	AK00300858	20046891	1	2-Mar-20	31-Ene-21	0,00
SUNDC SWITCH IB-36P MANAGED,LF	AK00300612	20046891	1	2-Mar-20	31-Ene-21	0,00
SUNDC SWITCH IB-36P MANAGED,LF	AK00300610	20046891	1	2-Mar-20	31-Ene-21	0,00
SUNDC SWITCH IB-36P MANAGED,LF	AK00300616	20046891	1	2-Mar-20	31-Ene-21	0,00
SWITCH,ENET,WS-C4948E-F-S,CISCO CATALYST,BACK TO FRONT COOLING	CAT1908S7Q5	20046891	1	2-Mar-20	31-Ene-21	0,00
X5-2L,2U,EXTREME FLASH SERVER,EXADATA X5	1452NM702L	20046891	1	2-Mar-20	31-Ene-21	0,00
X5-2L,2U,EXTREME FLASH SERVER,EXADATA X5	1452NM702B	20046891	1	2-Mar-20	31-Ene-21	0,00
X5-2L,2U,EXTREME FLASH SERVER,EXADATA X5	1452NM702A	20046891	1	2-Mar-20	31-Ene-21	0,00
X5-2L,2U,EXTREME FLASH SERVER,EXADATA X5	1452NM701K	20046891	1	2-Mar-20	31-Ene-21	0,00
X5-2L,2U,EXTREME FLASH SERVER,EXADATA X5	1513NM70E3	20046891	1	2-Mar-20	31-Ene-21	0,00
X5-2L,2U,EXTREME FLASH SERVER,EXADATA X5	1513NM70AY	20046891	1	2-Mar-20	31-Ene-21	0,00
X5-2L,2U,EXTREME FLASH SERVER,EXADATA X5	1506NM714A	20046891	1	2-Mar-20	31-Ene-21	0,00
X5-2L,2U,EXTREME FLASH SERVER,EXADATA X5	1452NM702N	20046891	1	2-Mar-20	31-Ene-21	0,00
Oracle Server X5-2: model family		20073599	1	2-Mar-20	31-Ene-21	0,00
Oracle Server X5-2: model family	1523NM10GD	20073599	1	2-Mar-20	31-Ene-21	0,00
2 Sun Storage 16 Gb FC short wave optics, Emulex (for factory installation)		20073599	1	2-Mar-20	31-Ene-21	154.331,36
DVD-RW drive (for factory installation)		20073599	1	2-Mar-20	31-Ene-21	20.674,04
Eight 2.5 inch drive slots, 1 DVD-RW drive slot, and disk cage for 1U		20073599	1	2-Mar-20	31-Ene-21	92.019,69

Servicios de Soporte Técnico de Hardware	
Nivel de Servicio:	Oracle Premier Support for Systems

Descripción del Producto	Numero de Serie	CSI #	Can t.	Fecha de Inicio	Fecha de Finalización	Precio
Heat sink for 1U (for factory installation)		20073599	2	2-Mar-20	31-Ene-21	12.971,98
Intel® Xeon® E5-2630 v3 8-core 2.4 GHz processor (for factory installation)		20073599	2	2-Mar-20	31-Ene-21	454.018,03
One 600 GB 10000 rpm 2.5-inch SAS-3 HDD with marlin bracket (for factory installation)		20073599	2	2-Mar-20	31-Ene-21	144.544,53
One 8 GB DDR4-2133 DIMM (for factory installation)		20073599	16	2-Mar-20	31-Ene-21	752.373,07
Oracle Server X5-2: 1U base chassis with motherboard, internal 12 Gb SAS RAID HBA, 2 PSUs, slide rail kit, and cable management arm		20073599	1	2-Mar-20	31-Ene-21	92.019,69
OSA 8 GB USB stick (for factory installation)		20073599	1	2-Mar-20	31-Ene-21	5.675,18
PCIe filler panel (for factory installation)		20073599	2	2-Mar-20	31-Ene-21	810,70
Power cord: Sun Rack jumper, 1 meter, C14RA plug, C13 connector, 13 A (for factory installation)		20073599	2	2-Mar-20	31-Ene-21	16.938,83
Sun Storage Dual 16 Gb Fibre Channel PCIe Universal HBA, Emulex (for factory installation)		20073599	1	2-Mar-20	31-Ene-21	361.361,30
Oracle Server X5-2: model family		20073599	1	2-Mar-20	31-Ene-21	0,00
Oracle Server X5-2: model family	1523NM10GC	20073599	1	2-Mar-20	31-Ene-21	0,00
2 Sun Storage 16 Gb FC short wave optics, Emulex (for factory installation)		20073599	1	2-Mar-20	31-Ene-21	154.331,36
DVD-RW drive (for factory installation)		20073599	1	2-Mar-20	31-Ene-21	20.674,04
Eight 2.5 inch drive slots, 1 DVD-RW drive slot, and disk cage for 1U		20073599	1	2-Mar-20	31-Ene-21	92.019,69
Heat sink for 1U (for factory installation)		20073599	2	2-Mar-20	31-Ene-21	12.971,98
Intel® Xeon® E5-2630 v3 8-core 2.4 GHz processor (for factory installation)		20073599	2	2-Mar-20	31-Ene-21	454.018,03
One 600 GB 10000 rpm 2.5-inch SAS-3 HDD with marlin bracket (for factory installation)		20073599	2	2-Mar-20	31-Ene-21	144.544,53
One 8 GB DDR4-2133 DIMM (for factory installation)		20073599	16	2-Mar-20	31-Ene-21	752.373,07

Servicios de Soporte Técnico de Hardware	
Nivel de Servicio:	Oracle Premier Support for Systems

Descripción del Producto	Numero de Serie	CSI #	Can t.	Fecha de Inicio	Fecha de Finalización	Precio
Oracle Server X5-2: 1U base chassis with motherboard, internal 12 Gb SAS RAID HBA, 2 PSUs, slide rail kit, and cable management arm		20073599	1	2-Mar-20	31-Ene-21	720.753,74
OSA 8 GB USB stick (for factory installation)		20073599	1	2-Mar-20	31-Ene-21	5.675,18
PCIe filler panel (for factory installation)		20073599	2	2-Mar-20	31-Ene-21	810,70
Power cord: Sun Rack jumper, 1 meter, C14RA plug, C13 connector, 13 A (for factory installation)		20073599	2	2-Mar-20	31-Ene-21	16.938,83
Sun Storage Dual 16 Gb Fibre Channel PCIe Universal HBA, Emulex (for factory installation)		20073599	1	2-Mar-20	31-Ene-21	361.361,30
Oracle Server X5-2: model family		20073599	1	2-Mar-20	31-Ene-21	0,00
Oracle Server X5-2: model family	1523NM10H1	20073599	1	2-Mar-20	31-Ene-21	0,00
2 Sun Storage 16 Gb FC short wave optics, Emulex (for factory installation)		20073599	1	2-Mar-20	31-Ene-21	154.331,36
DVD-RW drive (for factory installation)		20073599	1	2-Mar-20	31-Ene-21	20.674,04
Eight 2.5 inch drive slots, 1 DVD-RW drive slot, and disk cage for 1U		20073599	1	2-Mar-20	31-Ene-21	92.019,69
Heat sink for 1U (for factory installation)		20073599	2	2-Mar-20	31-Ene-21	12.971,98
Intel® Xeon® E5-2630 v3 8-core 2.4 GHz processor (for factory installation)		20073599	2	2-Mar-20	31-Ene-21	454.018,03
One 600 GB 10000 rpm 2.5-inch SAS-3 HDD with marlin bracket (for factory installation)		20073599	2	2-Mar-20	31-Ene-21	144.544,53
One 8 GB DDR4-2133 DIMM (for factory installation)		20073599	16	2-Mar-20	31-Ene-21	752.373,07
Oracle Server X5-2: 1U base chassis with motherboard, internal 12 Gb SAS RAID HBA, 2 PSUs, slide rail kit, and cable management arm		20073599	1	2-Mar-20	31-Ene-21	92.019,69
OSA 8 GB USB stick (for factory installation)		20073599	1	2-Mar-20	31-Ene-21	5.675,18
PCIe filler panel (for factory installation)		20073599	2	2-Mar-20	31-Ene-21	810,70

Servicios de Soporte Técnico de Hardware						
Nivel de Servicio:		Oracle Premier Support for Systems				

Descripción del Producto	Numero de Serie	CSI #	Can t.	Fecha de Inicio	Fecha de Finalización	Precio
Power cord: Sun Rack jumper, 1 meter, C14RA plug, C13 connector, 13 A (for factory installation)		20073599	2	2-Mar-20	31-Ene-21	16.938,83
Sun Storage Dual 16 Gb Fibre Channel PCIe Universal HBA, Emulex (for factory installation)		20073599	1	2-Mar-20	31-Ene-21	361.361,30
Oracle Server X5-2: model family		20073599	1	2-Mar-20	31-Ene-21	0,00
Oracle Server X5-2: model family	1523NM10H0	20073599	1	2-Mar-20	31-Ene-21	0,00
2 Sun Storage 16 Gb FC short wave optics, Emulex (for factory installation)		20073599	1	2-Mar-20	31-Ene-21	154.331,36
DVD-RW drive (for factory installation)		20073599	1	2-Mar-20	31-Ene-21	20.674,04
Eight 2.5 inch drive slots, 1 DVD-RW drive slot, and disk cage for 1U		20073599	1	2-Mar-20	31-Ene-21	92.019,69
Heat sink for 1U (for factory installation)		20073599	2	2-Mar-20	31-Ene-21	12.971,98
Intel® Xeon® E5-2630 v3 8-core 2.4 GHz processor (for factory installation)		20073599	2	2-Mar-20	31-Ene-21	454.018,03
One 600 GB 10000 rpm 2.5-inch SAS-3 HDD with marlin bracket (for factory installation)		20073599	2	2-Mar-20	31-Ene-21	144.544,53
One 8 GB DDR4-2133 DIMM (for factory installation)		20073599	16	2-Mar-20	31-Ene-21	752.373,07
Oracle Server X5-2: 1U base chassis with motherboard, internal 12 Gb SAS RAID HBA, 2 PSUs, slide rail kit, and cable management arm		20073599	1	2-Mar-20	31-Ene-21	92.019,69
OSA 8 GB USB stick (for factory installation)		20073599	1	2-Mar-20	31-Ene-21	5.675,18
PCIe filler panel (for factory installation)		20073599	2	2-Mar-20	31-Ene-21	810,70
Power cord: Sun Rack jumper, 1 meter, C14RA plug, C13 connector, 13 A (for factory installation)		20073599	2	2-Mar-20	31-Ene-21	16.938,83
Sun Storage Dual 16 Gb Fibre Channel PCIe Universal HBA, Emulex (for factory installation)		20073599	1	2-Mar-20	31-Ene-21	361.361,30
Oracle Server X5-2: model family		20073599	1	2-Mar-20	31-Ene-21	0,00
Oracle Server X5-2: model family	1523NM10GJ	20073599	1	2-Mar-20	31-Ene-21	0,00

Servicios de Soporte Técnico de Hardware						
Nivel de Oracle Premier Support for Systems						
Servicio:						

Descripción del Producto	Numero de Serie	CSI #	Can t.	Fecha de Inicio	Fecha de Finalización	Precio
2 Sun Storage 16 Gb FC short wave optics, Emulex (for factory installation)		20073599	1	2-Mar-20	31-Ene-21	154.331,36
DVD-RW drive (for factory installation)		20073599	1	2-Mar-20	31-Ene-21	20.674,04
Eight 2.5 inch drive slots, 1 DVD-RW drive slot, and disk cage for 1U		20073599	1	2-Mar-20	31-Ene-21	92.019,69
Heat sink for 1U (for factory installation)		20073599	2	2-Mar-20	31-Ene-21	12.971,98
Intel® Xeon® E5-2630 v3 8-core 2.4 GHz processor (for factory installation)		20073599	2	2-Mar-20	31-Ene-21	454.018,03
One 600 GB 10000 rpm 2.5-inch SAS-3 HDD with marlin bracket (for factory installation)		20073599	2	2-Mar-20	31-Ene-21	144.544,53
One 8 GB DDR4-2133 DIMM (for factory installation)		20073599	16	2-Mar-20	31-Ene-21	752.373,07
Oracle Server X5-2: 1U base chassis with motherboard, internal 12 Gb SAS RAID HBA, 2 PSUs, slide rail kit, and cable management arm		20073599	1	2-Mar-20	31-Ene-21	92.019,69
OSA 8 GB USB stick (for factory installation)		20073599	1	2-Mar-20	31-Ene-21	5.675,18
PCIe filler panel (for factory installation)		20073599	2	2-Mar-20	31-Ene-21	810,70
Power cord: Sun Rack jumper, 1 meter, C14RA plug, C13 connector, 13 A (for factory installation)		20073599	2	2-Mar-20	31-Ene-21	16.938,83
Sun Storage Dual 16 Gb Fibre Channel PCIe Universal HBA, Emulex (for factory installation)		20073599	1	2-Mar-20	31-Ene-21	361.361,30

Oracle Server X5-2: model family		20073599	1	2-Mar-20	31-Ene-21	0,00
Oracle Server X5-2: model family	1523NM10GH	20073599	1	2-Mar-20	31-Ene-21	0,00
2 Sun Storage 16 Gb FC short wave optics, Emulex (for factory installation)		20073599	1	2-Mar-20	31-Ene-21	154.331,36
DVD-RW drive (for factory installation)		20073599	1	2-Mar-20	31-Ene-21	20.674,04
Eight 2.5 inch drive slots, 1 DVD-RW drive slot, and disk cage for 1U		20073599	1	2-Mar-20	31-Ene-21	92.019,69
Heat sink for 1U (for factory installation)		20073599	2	2-Mar-20	31-Ene-21	12.971,98

Servicios de Soporte Técnico de Hardware						
Nivel de Servicio:		Oracle Premier Support for Systems				

Descripción del Producto	Numero de Serie	CSI #	Can t.	Fecha de Inicio	Fecha de Finalización	Precio
Intel® Xeon® E5-2630 v3 8-core 2.4 GHz processor (for factory installation)		20073599	2	2-Mar-20	31-Ene-21	454.018,03
One 600 GB 10000 rpm 2.5-inch SAS-3 HDD with marlin bracket (for factory installation)		20073599	2	2-Mar-20	31-Ene-21	144.544,53
One 8 GB DDR4-2133 DIMM (for factory installation)		20073599	16	2-Mar-20	31-Ene-21	752.373,07
Oracle Server X5-2: 1U base chassis with motherboard, internal 12 Gb SAS RAID HBA, 2 PSUs, slide rail kit, and cable management arm		20073599	1	2-Mar-20	31-Ene-21	92.019,69
OSA 8 GB USB stick (for factory installation)		20073599	1	2-Mar-20	31-Ene-21	5.675,18
PCIe filler panel (for factory installation)		20073599	2	2-Mar-20	31-Ene-21	810,70
Power cord: Sun Rack jumper, 1 meter, C14RA plug, C13 connector, 13 A (for factory installation)		20073599	2	2-Mar-20	31-Ene-21	16.938,83
Sun Storage Dual 16 Gb Fibre Channel PCIe Universal HBA, Emulex (for factory installation)		20073599	1	2-Mar-20	31-Ene-21	361.361,30
Oracle Server X5-2: model family		20073599	1	2-Mar-20	31-Ene-21	154.331,36
Oracle Server X5-2: model family	1523NM10GF	20073599	1	2-Mar-20	31-Ene-21	0,00
2 Sun Storage 16 Gb FC short wave optics, Emulex (for factory installation)		20073599	1	2-Mar-20	31-Ene-21	154.331,36
DVD-RW drive (for factory installation)		20073599	1	2-Mar-20	31-Ene-21	20.674,04
Eight 2.5 inch drive slots, 1 DVD-RW drive slot, and disk cage for 1U		20073599	1	2-Mar-20	31-Ene-21	92.019,69
Heat sink for 1U (for factory installation)		20073599	2	2-Mar-20	31-Ene-21	12.971,98
Intel® Xeon® E5-2630 v3 8-core 2.4 GHz processor (for factory installation)		20073599	2	2-Mar-20	31-Ene-21	454.018,03
One 600 GB 10000 rpm 2.5-inch SAS-3 HDD with marlin bracket (for factory installation)		20073599	2	2-Mar-20	31-Ene-21	144.544,53
One 8 GB DDR4-2133 DIMM (for factory installation)		20073599	16	2-Mar-20	31-Ene-21	752.373,07

Servicios de Soporte Técnico de Hardware						
Nivel de Servicio:		Oracle Premier Support for Systems				

Descripción del Producto	Numero de Serie	CSI #	Can t.	Fecha de Inicio	Fecha de Finalización	Precio
Oracle Server X5-2: 1U base chassis with motherboard, internal 12 Gb SAS RAID HBA, 2 PSUs, slide rail kit, and cable management arm		20073599	1	2-Mar-20	31-Ene-21	92.019,69
OSA 8 GB USB stick (for factory installation)		20073599	1	2-Mar-20	31-Ene-21	5.675,18
PCIe filler panel (for factory installation)		20073599	2	2-Mar-20	31-Ene-21	810,70
Power cord: Sun Rack jumper, 1 meter, C14RA plug, C13 connector, 13 A (for factory installation)		20073599	2	2-Mar-20	31-Ene-21	16.938,83
Sun Storage Dual 16 Gb Fibre Channel PCIe Universal HBA, Emulex (for factory installation)		20073599	1	2-Mar-20	31-Ene-21	361.361,30
Oracle Server X5-2: model family		20073599	1	2-Mar-20	31-Ene-21	0,00
Oracle Server X5-2: model family	1523NM10GX	20073599	1	2-Mar-20	31-Ene-21	0,00
2 Sun Storage 16 Gb FC short wave optics, Emulex (for factory installation)		20073599	1	2-Mar-20	31-Ene-21	154.331,36
DVD-RW drive (for factory installation)		20073599	1	2-Mar-20	31-Ene-21	20.674,04
Eight 2.5 inch drive slots, 1 DVD-RW drive slot, and disk cage for 1U		20073599	1	2-Mar-20	31-Ene-21	92.019,69
Heat sink for 1U (for factory installation)		20073599	2	2-Mar-20	31-Ene-21	12.971,98
Intel® Xeon® E5-2630 v3 8-core 2.4 GHz processor (for factory installation)		20073599	2	2-Mar-20	31-Ene-21	454.018,03
One 600 GB 10000 rpm 2.5-inch SAS-3 HDD with marlin bracket (for factory installation)		20073599	2	2-Mar-20	31-Ene-21	144.544,53
One 8 GB DDR4-2133 DIMM (for factory installation)		20073599	16	2-Mar-20	31-Ene-21	752.373,07
Oracle Server X5-2: 1U base chassis with motherboard, internal 12 Gb SAS RAID HBA, 2 PSUs, slide rail kit, and cable management arm		20073599	1	2-Mar-20	31-Ene-21	92.019,69
OSA 8 GB USB stick (for factory installation)		20073599	1	2-Mar-20	31-Ene-21	5.675,18
PCIe filler panel (for factory installation)		20073599	2	2-Mar-20	31-Ene-21	810,70

Servicios de Soporte Técnico de Hardware						
Nivel de Servicio:		Oracle Premier Support for Systems				

Descripción del Producto	Numero de Serie	CSI #	Can t.	Fecha de Inicio	Fecha de Finalización	Precio
Power cord: Sun Rack jumper, 1 meter, C14RA plug, C13 connector, 13 A (for factory installation)		20073599	2	2-Mar-20	31-Ene-21	16.938,83
Sun Storage Dual 16 Gb Fibre Channel PCIe Universal HBA, Emulex (for factory installation)		20073599	1	2-Mar-20	31-Ene-21	361.361,30
Oracle Server X5-2: model family		20073599	1	2-Mar-20	31-Ene-21	0,00
Oracle Server X5-2: model family	1523NM10GW	20073599	1	2-Mar-20	31-Ene-21	0,00
2 Sun Storage 16 Gb FC short wave optics, Emulex (for factory installation)		20073599	1	2-Mar-20	31-Ene-21	154.331,36
DVD-RW drive (for factory installation)		20073599	1	2-Mar-20	31-Ene-21	20.674,04
Eight 2.5 inch drive slots, 1 DVD-RW drive slot, and disk cage for 1U		20073599	1	2-Mar-20	31-Ene-21	92.019,69
Heat sink for 1U (for factory installation)		20073599	2	2-Mar-20	31-Ene-21	12.971,98
Intel® Xeon® E5-2630 v3 8-core 2.4 GHz processor (for factory installation)		20073599	2	2-Mar-20	31-Ene-21	454.018,03
One 600 GB 10000 rpm 2.5-inch SAS-3 HDD with marlin bracket (for factory installation)		20073599	2	2-Mar-20	31-Ene-21	144.544,53
One 8 GB DDR4-2133 DIMM (for factory installation)		20073599	16	2-Mar-20	31-Ene-21	752.373,07
Oracle Server X5-2: 1U base chassis with motherboard, internal 12 Gb SAS RAID HBA, 2 PSUs, slide rail kit, and cable management arm		20073599	1	2-Mar-20	31-Ene-21	92.019,69
OSA 8 GB USB stick (for factory installation)		20073599	1	2-Mar-20	31-Ene-21	5.675,18
PCIe filler panel (for factory installation)		20073599	2	2-Mar-20	31-Ene-21	810,70
Power cord: Sun Rack jumper, 1 meter, C14RA plug, C13 connector, 13 A (for factory installation)		20073599	2	2-Mar-20	31-Ene-21	16.938,83
Sun Storage Dual 16 Gb Fibre Channel PCIe Universal HBA, Emulex (for factory installation)		20073599	1	2-Mar-20	31-Ene-21	361.361,30
Oracle Server X5-2: model family		20073599	1	2-Mar-20	31-Ene-21	0,00
Oracle Server X5-2: model family	1523NM10GV	20073599	1	2-Mar-20	31-Ene-21	0,00

Servicios de Soporte Técnico de Hardware						
Nivel de Servicio: Oracle Premier Support for Systems						

Descripción del Producto	Numero de Serie	CSI #	Can t.	Fecha de Inicio	Fecha de Finalización	Precio
2 Sun Storage 16 Gb FC short wave optics, Emulex (for factory installation)		20073599	1	2-Mar-20	31-Ene-21	154.331,36
DVD-RW drive (for factory installation)		20073599	1	2-Mar-20	31-Ene-21	20.674,04
Eight 2.5 inch drive slots, 1 DVD-RW drive slot, and disk cage for 1U		20073599	1	2-Mar-20	31-Ene-21	92.019,69
Heat sink for 1U (for factory installation)		20073599	2	2-Mar-20	31-Ene-21	12.971,98
Intel® Xeon® E5-2630 v3 8-core 2.4 GHz processor (for factory installation)		20073599	2	2-Mar-20	31-Ene-21	454.018,03
One 600 GB 10000 rpm 2.5-inch SAS-3 HDD with marlin bracket (for factory installation)		20073599	2	2-Mar-20	31-Ene-21	144.544,53
One 8 GB DDR4-2133 DIMM (for factory installation)		20073599	16	2-Mar-20	31-Ene-21	752.373,07
Oracle Server X5-2: 1U base chassis with motherboard, internal 12 Gb SAS RAID HBA, 2 PSUs, slide rail kit, and cable management arm		20073599	1	2-Mar-20	31-Ene-21	92.019,69
OSA 8 GB USB stick (for factory installation)		20073599	1	2-Mar-20	31-Ene-21	5.675,18
PCIe filler panel (for factory installation)		20073599	2	2-Mar-20	31-Ene-21	810,70
Power cord: Sun Rack jumper, 1 meter, C14RA plug, C13 connector, 13 A (for factory installation)		20073599	2	2-Mar-20	31-Ene-21	16.938,83
Sun Storage Dual 16 Gb Fibre Channel PCIe Universal HBA, Emulex (for factory installation)		20073599	1	2-Mar-20	31-Ene-21	361.361,30
Oracle Server X5-2: model family		20073599	1	2-Mar-20	31-Ene-21	0,00
Oracle Server X5-2: model family	1523NM10GT	20073599	1	2-Mar-20	31-Ene-21	0,00
2 Sun Storage 16 Gb FC short wave optics, Emulex (for factory installation)		20073599	1	2-Mar-20	31-Ene-21	154.331,36
DVD-RW drive (for factory installation)		20073599	1	2-Mar-20	31-Ene-21	20.674,04
Eight 2.5 inch drive slots, 1 DVD-RW drive slot, and disk cage for 1U		20073599	1	2-Mar-20	31-Ene-21	92.019,69
Heat sink for 1U (for factory installation)		20073599	2	2-Mar-20	31-Ene-21	12.971,98

Servicios de Soporte Técnico de Hardware						
Nivel de Servicio:		Oracle Premier Support for Systems				

Descripción del Producto	Numero de Serie	CSI #	Can t.	Fecha de Inicio	Fecha de Finalización	Precio
Intel® Xeon® E5-2630 v3 8-core 2.4 GHz processor (for factory installation)		20073599	2	2-Mar-20	31-Ene-21	454.018,03
One 600 GB 10000 rpm 2.5-inch SAS-3 HDD with marlin bracket (for factory installation)		20073599	2	2-Mar-20	31-Ene-21	144.544,53
One 8 GB DDR4-2133 DIMM (for factory installation)		20073599	16	2-Mar-20	31-Ene-21	752.373,07
Oracle Server X5-2: 1U base chassis with motherboard, internal 12 Gb SAS RAID HBA, 2 PSUs, slide rail kit, and cable management arm		20073599	1	2-Mar-20	31-Ene-21	92.019,69
OSA 8 GB USB stick (for factory installation)		20073599	1	2-Mar-20	31-Ene-21	5.675,18
PCIe filler panel (for factory installation)		20073599	2	2-Mar-20	31-Ene-21	810,70
Power cord: Sun Rack jumper, 1 meter, C14RA plug, C13 connector, 13 A (for factory installation)		20073599	2	2-Mar-20	31-Ene-21	16.938,83
Sun Storage Dual 16 Gb Fibre Channel PCIe Universal HBA, Emulex (for factory installation)		20073599	1	2-Mar-20	31-Ene-21	361.361,30
Oracle Server X5-2: model family		20073599	1	2-Mar-20	31-Ene-21	0,00
Oracle Server X5-2: model family	1523NM10GR	20073599	1	2-Mar-20	31-Ene-21	0,00
2 Sun Storage 16 Gb FC short wave optics, Emulex (for factory installation)		20073599	1	2-Mar-20	31-Ene-21	154.331,36
DVD-RW drive (for factory installation)		20073599	1	2-Mar-20	31-Ene-21	20.674,04
Eight 2.5 inch drive slots, 1 DVD-RW drive slot, and disk cage for 1U		20073599	1	2-Mar-20	31-Ene-21	92.019,69
Heat sink for 1U (for factory installation)		20073599	2	2-Mar-20	31-Ene-21	12.971,98
Intel® Xeon® E5-2630 v3 8-core 2.4 GHz processor (for factory installation)		20073599	2	2-Mar-20	31-Ene-21	454.018,03
One 600 GB 10000 rpm 2.5-inch SAS-3 HDD with marlin bracket (for factory installation)		20073599	2	2-Mar-20	31-Ene-21	144.544,53
One 8 GB DDR4-2133 DIMM (for factory installation)		20073599	16	2-Mar-20	31-Ene-21	752.373,07

Servicios de Soporte Técnico de Hardware						
Nivel de Servicio:		Oracle Premier Support for Systems				

Descripción del Producto	Numero de Serie	CSI #	Can t.	Fecha de Inicio	Fecha de Finalización	Precio
Oracle Server X5-2: 1U base chassis with motherboard, internal 12 Gb SAS RAID HBA, 2 PSUs, slide rail kit, and cable management arm		20073599	1	2-Mar-20	31-Ene-21	92.019,69
OSA 8 GB USB stick (for factory installation)		20073599	1	2-Mar-20	31-Ene-21	5.675,18
PCIe filler panel (for factory installation)		20073599	2	2-Mar-20	31-Ene-21	810,70
Power cord: Sun Rack jumper, 1 meter, C14RA plug, C13 connector, 13 A (for factory installation)		20073599	2	2-Mar-20	31-Ene-21	16.938,83
Sun Storage Dual 16 Gb Fibre Channel PCIe Universal HBA, Emulex (for factory installation)		20073599	1	2-Mar-20	31-Ene-21	361.361,30
Oracle Server X5-2: model family		20073599	1	2-Mar-20	31-Ene-21	0,00
Oracle Server X5-2: model family	1523NM10GP	20073599	1	2-Mar-20	31-Ene-21	0,00
2 Sun Storage 16 Gb FC short wave optics, Emulex (for factory installation)		20073599	1	2-Mar-20	31-Ene-21	154.331,36
DVD-RW drive (for factory installation)		20073599	1	2-Mar-20	31-Ene-21	20.674,04
Eight 2.5 inch drive slots, 1 DVD-RW drive slot, and disk cage for 1U		20073599	1	2-Mar-20	31-Ene-21	92.019,69
Heat sink for 1U (for factory installation)		20073599	2	2-Mar-20	31-Ene-21	12.971,98
Intel® Xeon® E5-2630 v3 8-core 2.4 GHz processor (for factory installation)		20073599	2	2-Mar-20	31-Ene-21	454.018,03
One 600 GB 10000 rpm 2.5-inch SAS-3 HDD with marlin bracket (for factory installation)		20073599	2	2-Mar-20	31-Ene-21	144.544,53
One 8 GB DDR4-2133 DIMM (for factory installation)		20073599	16	2-Mar-20	31-Ene-21	752.373,07
Oracle Server X5-2: 1U base chassis with motherboard, internal 12 Gb SAS RAID HBA, 2 PSUs, slide rail kit, and cable management arm		20073599	1	2-Mar-20	31-Ene-21	92.019,69
OSA 8 GB USB stick (for factory installation)		20073599	1	2-Mar-20	31-Ene-21	5.675,18
PCIe filler panel (for factory installation)		20073599	2	2-Mar-20	31-Ene-21	810,70

Servicios de Soporte Técnico de Hardware						
Nivel de Servicio:		Oracle Premier Support for Systems				

Descripción del Producto	Numero de Serie	CSI #	Can t.	Fecha de Inicio	Fecha de Finalización	Precio
Power cord: Sun Rack jumper, 1 meter, C14RA plug, C13 connector, 13 A (for factory installation)		20073599	2	2-Mar-20	31-Ene-21	16.938,83
Sun Storage Dual 16 Gb Fibre Channel PCIe Universal HBA, Emulex (for factory installation)		20073599	1	2-Mar-20	31-Ene-21	361.361,30
Oracle Server X5-2: model family		20073599	1	2-Mar-20	31-Ene-21	0,00
Oracle Server X5-2: model family	1523NM10H2	20073599	1	2-Mar-20	31-Ene-21	0,00
2 Sun Storage 16 Gb FC short wave optics, Emulex (for factory installation)		20073599	1	2-Mar-20	31-Ene-21	154.331,36
DVD-RW drive (for factory installation)		20073599	1	2-Mar-20	31-Ene-21	20.674,04
Eight 2.5 inch drive slots, 1 DVD-RW drive slot, and disk cage for 1U		20073599	1	2-Mar-20	31-Ene-21	92.019,69
Heat sink for 1U (for factory installation)		20073599	2	2-Mar-20	31-Ene-21	12.971,98
Intel® Xeon® E5-2630 v3 8-core 2.4 GHz processor (for factory installation)		20073599	2	2-Mar-20	31-Ene-21	454.018,03
One 600 GB 10000 rpm 2.5-inch SAS-3 HDD with marlin bracket (for factory installation)		20073599	2	2-Mar-20	31-Ene-21	144.544,53
One 8 GB DDR4-2133 DIMM (for factory installation)		20073599	16	2-Mar-20	31-Ene-21	752.373,07
Oracle Server X5-2: 1U base chassis with motherboard, internal 12 Gb SAS RAID HBA, 2 PSUs, slide rail kit, and cable management arm		20073599	1	2-Mar-20	31-Ene-21	92.019,69
OSA 8 GB USB stick (for factory installation)		20073599	1	2-Mar-20	31-Ene-21	5.675,18
PCIe filler panel (for factory installation)		20073599	2	2-Mar-20	31-Ene-21	810,70
Power cord: Sun Rack jumper, 1 meter, C14RA plug, C13 connector, 13 A (for factory installation)		20073599	2	2-Mar-20	31-Ene-21	16.938,83
Sun Storage Dual 16 Gb Fibre Channel PCIe Universal HBA, Emulex (for factory installation)		20073599	1	2-Mar-20	31-Ene-21	361.361,30
Oracle Server X5-2: model family		20073599	1	2-Mar-20	31-Ene-21	0,00
Oracle Server X5-2: model family	1523NM10GY	20073599	1	2-Mar-20	31-Ene-21	0,00

Servicios de Soporte Técnico de Hardware						
Nivel de Servicio: Oracle Premier Support for Systems						

Descripción del Producto	Numero de Serie	CSI #	Can t.	Fecha de Inicio	Fecha de Finalización	Precio
2 Sun Storage 16 Gb FC short wave optics, Emulex (for factory installation)		20073599	1	2-Mar-20	31-Ene-21	154.331,36
DVD-RW drive (for factory installation)		20073599	1	2-Mar-20	31-Ene-21	20.674,04
Eight 2.5 inch drive slots, 1 DVD-RW drive slot, and disk cage for 1U		20073599	1	2-Mar-20	31-Ene-21	92.019,69
Heat sink for 1U (for factory installation)		20073599	2	2-Mar-20	31-Ene-21	12.971,98
Intel® Xeon® E5-2630 v3 8-core 2.4 GHz processor (for factory installation)		20073599	2	2-Mar-20	31-Ene-21	454.018,03
One 600 GB 10000 rpm 2.5-inch SAS-3 HDD with marlin bracket (for factory installation)		20073599	2	2-Mar-20	31-Ene-21	144.544,53
One 8 GB DDR4-2133 DIMM (for factory installation)		20073599	16	2-Mar-20	31-Ene-21	752.373,07
Oracle Server X5-2: 1U base chassis with motherboard, internal 12 Gb SAS RAID HBA, 2 PSUs, slide rail kit, and cable management arm		20073599	1	2-Mar-20	31-Ene-21	92.019,69
OSA 8 GB USB stick (for factory installation)		20073599	1	2-Mar-20	31-Ene-21	5.675,18
PCIe filler panel (for factory installation)		20073599	2	2-Mar-20	31-Ene-21	810,70
Power cord: Sun Rack jumper, 1 meter, C14RA plug, C13 connector, 13 A (for factory installation)		20073599	2	2-Mar-20	31-Ene-21	16.938,83
Sun Storage Dual 16 Gb Fibre Channel PCIe Universal HBA, Emulex (for factory installation)		20073599	1	2-Mar-20	31-Ene-21	361.361,30
Private Cloud Appliance X5-2 Server Upgrade		20073599	1	2-Mar-20	31-Ene-21	4.123.225,49
UPGRD,X5-2,1U VCA COMPUTE SERVER, SLA, CMA (XOPTION)	1521NM100R	20073599	1	2-Mar-20	31-Ene-21	0,00
StorageTek LTO tape drive: 1 IBM LTO6 8 Gb FC with Oracle Key Manager compatibility for StorageTek SL3000 and StorageTek SL4000		20073599	1	2-Mar-20	31-Ene-21	2.699.786,14
LTO6, IBM, FC, SL3000	464970G+1523K50212	20073599	1	2-Mar-20	31-Ene-21	0,00

Servicios de Soporte Técnico de Hardware						
Nivel de Servicio:		Oracle Premier Support for Systems				

Descripción del Producto	Numero de Serie	CSI #	Can t.	Fecha de Inicio	Fecha de Finalización	Precio
StorageTek LTO tape drive: 1 IBM LTO6 8 Gb FC with Oracle Key Manager compatibility for StorageTek SL3000 and StorageTek SL4000		20073599	1	2-Mar-20	31-Ene-21	2.699.786,14
LTO6, IBM, FC, SL3000	464970G+1523K50208	20073599	1	2-Mar-20	31-Ene-21	0,00
StorageTek LTO tape drive: 1 IBM LTO6 8 Gb FC with Oracle Key Manager compatibility for StorageTek SL3000 and StorageTek SL4000		20073599	1	2-Mar-20	31-Ene-21	2.699.786,14
LTO6, IBM, FC, SL3000	464970G+1523K50196	20073599	1	2-Mar-20	31-Ene-21	0,00
StorageTek LTO tape drive: 1 IBM LTO6 8 Gb FC with Oracle Key Manager compatibility for StorageTek SL3000 and StorageTek SL4000		20073599	1	2-Mar-20	31-Ene-21	2.699.786,14
LTO6, IBM, FC, SL3000	464970G+1523K50195	20073599	1	2-Mar-20	31-Ene-21	0,00
StorageTek LTO tape drive: 1 IBM LTO6 8 Gb FC with Oracle Key Manager compatibility for StorageTek SL3000 and StorageTek SL4000		20073599	1	2-Mar-20	31-Ene-21	2.699.786,14
LTO6, IBM, FC, SL3000	464970G+1523K50193	20073599	1	2-Mar-20	31-Ene-21	0,00
StorageTek LTO tape drive: 1 IBM LTO6 8 Gb FC with Oracle Key Manager compatibility for StorageTek SL3000 and StorageTek SL4000		20073599	1	2-Mar-20	31-Ene-21	2.699.786,14
LTO6, IBM, FC, SL3000	464970G+1523K50206	20073599	1	2-Mar-20	31-Ene-21	0,00
StorageTek LTO tape drive: 1 IBM LTO6 8 Gb FC with Oracle Key Manager compatibility for StorageTek SL3000 and StorageTek SL4000		20073599	1	2-Mar-20	31-Ene-21	2.699.786,14
LTO6, IBM, FC, SL3000	464970G+1523K50203	20073599	1	2-Mar-20	31-Ene-21	0,00

Servicios de Soporte Técnico de Hardware						
Nivel de Servicio: Oracle Premier Support for Systems						

Descripción del Producto	Numero de Serie	CSI #	Can t.	Fecha de Inicio	Fecha de Finalización	Precio
StorageTek LTO tape drive: 1 IBM LTO6 8 Gb FC with Oracle Key Manager compatibility for StorageTek SL3000 and StorageTek SL4000		20073599	1	2-Mar-20	31-Ene-21	2.699.786,14
LTO6, IBM, FC, SL3000	464970G+1523K50202	20073599	1	2-Mar-20	31-Ene-21	0,00
StorageTek LTO tape drive: 1 IBM LTO6 8 Gb FC with Oracle Key Manager compatibility for StorageTek SL3000 and StorageTek SL4000		20073599	1	2-Mar-20	31-Ene-21	2.699.786,14
LTO6, IBM, FC, SL3000	464970G+1523K50201	20073599	1	2-Mar-20	31-Ene-21	0,00
StorageTek LTO tape drive: 1 IBM LTO6 8 Gb FC with Oracle Key Manager compatibility for StorageTek SL3000 and StorageTek SL4000		20073599	1	2-Mar-20	31-Ene-21	2.699.786,14
LTO6, IBM, FC, SL3000	464970G+1523K50200	20073599	1	2-Mar-20	31-Ene-21	0,00
Installed At: SERVICIO NACIONAL DE APRENDIZAJE SENA - Calle 57 No. 8-69, Torre Central, Piso 3 BOGOTA CUNDINAMARCA Colombia						
8Gb FC HBA, 2 port, Emulex		20032040	8	2-Mar-20	31-Ene-21	3.612.107,42
Pwrcord,Jumper,1.0m,C13,13A,C14		20032040	2	2-Mar-20	31-Ene-21	16.938,83
Dual rate transceiver: SFP+ SR. Support 1 Gb/sec and 10 Gb/sec dual rate		20042427	64	2-Mar-20	31-Ene-21	3.950.881,95
QSFP to QSFP passive copper cable: 5 meter		20042427	16	2-Mar-20	31-Ene-21	758.858,46
6m, Mini, shielded, SAS cable		20046978	4	2-Mar-20	31-Ene-21	244.671,90
Cable management arm		20073599	2	2-Mar-20	31-Ene-21	720.753,74
Dual rate transceiver: SFP+ SR. Support 1 Gb/sec and 10 Gb/sec dual rate		20073599	32	2-Mar-20	31-Ene-21	1.975.440,98

Servicios de Soporte Técnico de Hardware						
Nivel de Oracle Premier Support for Systems						
Servicio:						

Descripción del Producto	Numero de Serie	CSI #	Can t.	Fecha de Inicio	Fecha de Finalización	Precio
Oracle FS1 Series add-on capacity not racked: model family		20073599	1	2-Mar-20	31-Ene-21	0,00
Oracle FS1 Series add-on capacity not racked: model family	1524NMU002	20073599	1	2-Mar-20	31-Ene-21	0,00
Cable: 3 meters, mini SAS to mini SAS HD (for factory installation)		20073599	2	2-Mar-20	31-Ene-21	70.013,71
Cable assembly: 3 meters, mini SAS 4x cable, shielded (for factory installation)		20073599	2	2-Mar-20	31-Ene-21	45.170,09
Oracle Storage Drive Enclosure DE2-24C add-on with twenty-four 4 TB 7200 rpm 3.5-inch SAS HDDs (for factory installation)		20073599	1	2-Mar-20	31-Ene-21	0,00
Oracle FS1 Series add-on capacity not racked: model family		20073599	1	2-Mar-20	31-Ene-21	0,00
Oracle FS1 Series add-on capacity not racked: model family	1524NMU001	20073599	1	2-Mar-20	31-Ene-21	0,00
Cable: 3 meters, mini SAS to mini SAS HD (for factory installation)		20073599	2	2-Mar-20	31-Ene-21	45.170,09
Cable assembly: 3 meters, mini SAS 4x cable, shielded (for factory installation)		20073599	2	2-Mar-20	31-Ene-21	0,00
Oracle Storage Drive Enclosure DE2-24C add-on with twenty-four 4 TB 7200 rpm 3.5-inch SAS HDDs (for factory installation)		20073599	1	2-Mar-20	31-Ene-21	5.464.460,92
Oracle FS1 Series add-on capacity not racked: model family		20073599	1	2-Mar-20	31-Ene-21	0,00
Oracle FS1 Series add-on capacity not racked: model family	1523NMU001	20073599	1	2-Mar-20	31-Ene-21	0,00
Cable: 3 meters, mini SAS to mini SAS HD (for factory installation)		20073599	2	2-Mar-20	31-Ene-21	70.013,71
Cable assembly: 3 meters, mini SAS 4x cable, shielded (for factory installation)		20073599	2	2-Mar-20	31-Ene-21	45.170,09
Oracle Storage Drive Enclosure DE2-24C add-on with twenty-four 4 TB 7200 rpm 3.5-inch SAS HDDs (for factory installation)		20073599	1	2-Mar-20	31-Ene-21	5.464.460,92
QSFP to QSFP passive copper cable: 5 meter		20073599	8	2-Mar-20	31-Ene-21	379.429,25

Servicios de Soporte Técnico de Hardware						
Nivel de Servicio: Oracle Premier Support for Systems						

Descripción del Producto	Numero de Serie	CSI #	Can t.	Fecha de Inicio	Fecha de Finalización	Precio
Installed At: SERVICIO NACIONAL DE APRENDIZAJE SENA - Calle 57 No 8 - 69 Torre CENTRAL Piso 3 BOGOTÁ DISTRITO CAPITAL Colombia						
Oracle Dual Port QDR InfiniBand Adapter M3		20154016	2	2-Mar-20	31-Ene-21	915.533,93
Installed At: SERVICIO NACIONAL DE APRENDIZAJE SENA - Carrera 106 # 15A-25 MZ 16 Lote 114C , Zona Franca Bogotá Cundinamarca 110921 Co						
Private Cloud Appliance X5-2 Server Upgrade		20042427	1	2-Mar-20	31-Ene-21	4.123.225,49
UPGRD,X5-2,1U VCA COMPUTE SERVER, SLA, CMA (XOPTION)	1521NM100D	20042427	1	2-Mar-20	31-Ene-21	0,00
Installed At: SERVICIO NACIONAL DE APRENDIZAJE SENA - Carrera 106 # 15A-25 MZ 16 Lote 114C, Zona Franca BOGOTA CUNDINAMARCA 110921 Col						
Oracle Advanced Support Gateway Server X5-2		20032040	1	2-Mar-20	31-Ene-21	1.944.981,09
ASSY,ORACLE X5-2 ADVANCED SUPPORT GATEWAY 1U SERVER	1520NM115M	20032040	1	2-Mar-20	31-Ene-21	4.818.151,13
Private Cloud Appliance X5-2 Server Upgrade		20042427	1	2-Mar-20	31-Ene-21	4.123.225,49
UPGRD,X5-2,1U VCA COMPUTE SERVER, SLA, CMA (XOPTION)	1519NM109M	20042427	1	2-Mar-20	31-Ene-21	0,00
Private Cloud Appliance X5-2 Server Upgrade		20042427	1	2-Mar-20	31-Ene-21	4.123.225,49
UPGRD,X5-2,1U VCA COMPUTE SERVER, SLA, CMA (XOPTION)	1519NM109K	20042427	1	2-Mar-20	31-Ene-21	0,00
Private Cloud Appliance X5-2 Server Upgrade		20042427	1	2-Mar-20	31-Ene-21	4.123.225,49
UPGRD,X5-2,1U VCA COMPUTE SERVER, SLA, CMA (XOPTION)	1519NM109J	20042427	1	2-Mar-20	31-Ene-21	0,00
Private Cloud Appliance X5-2 Server Upgrade		20042427	1	2-Mar-20	31-Ene-21	4.123.225,49
UPGRD,X5-2,1U VCA COMPUTE SERVER, SLA, CMA (XOPTION)	1521NM100C	20042427	1	2-Mar-20	31-Ene-21	0,00
Private Cloud Appliance X5-2 Server Upgrade		20042427	1	2-Mar-20	31-Ene-21	4.123.225,49
UPGRD,X5-2,1U VCA COMPUTE SERVER, SLA, CMA (XOPTION)	1521NM1009	20042427	1	2-Mar-20	31-Ene-21	0,00

Servicios de Soporte Técnico de Hardware						
Nivel de Oracle Premier Support for Systems						
Servicio:						

Descripción del Producto	Numero de Serie	CSI #	Can t.	Fecha de Inicio	Fecha de Finalización	Precio
Private Cloud Appliance X5-2 Server Upgrade		20042427	1	2-Mar-20	31-Ene-21	4.123.225,49
UPGRD,X5-2,1U VCA COMPUTE SERVER, SLA, CMA (XOPTION)	1521NM1008	20042427	1	2-Mar-20	31-Ene-21	0,00
Private Cloud Appliance X5-2 Server Upgrade		20042427	1	2-Mar-20	31-Ene-21	4.123.225,49
UPGRD,X5-2,1U VCA COMPUTE SERVER, SLA, CMA (XOPTION)	1521NM1007	20042427	1	2-Mar-20	31-Ene-21	0,00
Private Cloud Appliance X5-2 Server Upgrade		20042427	1	2-Mar-20	31-Ene-21	4.123.225,49
UPGRD,X5-2,1U VCA COMPUTE SERVER, SLA, CMA (XOPTION)	1521NM101E	20042427	1	2-Mar-20	31-Ene-21	0,00
Private Cloud Appliance X5-2 Server Upgrade		20042427	1	2-Mar-20	31-Ene-21	4.123.225,49
UPGRD,X5-2,1U VCA COMPUTE SERVER, SLA, CMA (XOPTION)	1521NM101D	20042427	1	2-Mar-20	31-Ene-21	0,00
Private Cloud Appliance X5-2 Server Upgrade		20042427	1	2-Mar-20	31-Ene-21	4.123.225,49
UPGRD,X5-2,1U VCA COMPUTE SERVER, SLA, CMA (XOPTION)	1521NM101C	20042427	1	2-Mar-20	31-Ene-21	0,00
Private Cloud Appliance X5-2 Server Upgrade		20042427	1	2-Mar-20	31-Ene-21	4.123.225,49
UPGRD,X5-2,1U VCA COMPUTE SERVER, SLA, CMA (XOPTION)	1521NM1019	20042427	1	2-Mar-20	31-Ene-21	0,00
Private Cloud Appliance X5-2 Server Upgrade		20042427	1	2-Mar-20	31-Ene-21	4.123.225,49
UPGRD,X5-2,1U VCA COMPUTE SERVER, SLA, CMA (XOPTION)	1521NM1018	20042427	1	2-Mar-20	31-Ene-21	0,00
Private Cloud Appliance X5-2 Server Upgrade		20042427	1	2-Mar-20	31-Ene-21	4.123.225,49
UPGRD,X5-2,1U VCA COMPUTE SERVER, SLA, CMA (XOPTION)	1521NM1017	20042427	1	2-Mar-20	31-Ene-21	0,00

Servicios de Soporte Técnico de Hardware						
Nivel de Servicio: Oracle Premier Support for Systems						

Descripción del Producto	Numero de Serie	CSI #	Can t.	Fecha de Inicio	Fecha de Finalización	Precio
Private Cloud Appliance X5-2 Server Upgrade		20042427	1	2-Mar-20	31-Ene-21	4.123.225,49
UPGRD,X5-2,1U VCA COMPUTE SERVER, SLA, CMA (XOPTION)	1521NM1016	20042427	1	2-Mar-20	31-Ene-21	0,00
Private Cloud Appliance X5-2 Server Upgrade		20042427	1	2-Mar-20	31-Ene-21	4.123.225,49
UPGRD,X5-2,1U VCA COMPUTE SERVER, SLA, CMA (XOPTION)	1521NM1015	20042427	1	2-Mar-20	31-Ene-21	0,00
Private Cloud Appliance X5-2 Server Upgrade		20042427	1	2-Mar-20	31-Ene-21	4.123.225,49
UPGRD,X5-2,1U VCA COMPUTE SERVER, SLA, CMA (XOPTION)	1521NM1014	20042427	1	2-Mar-20	31-Ene-21	0,00
Private Cloud Appliance X5-2 Server Upgrade		20042427	1	2-Mar-20	31-Ene-21	4.123.225,49
UPGRD,X5-2,1U VCA COMPUTE SERVER, SLA, CMA (XOPTION)	1521NM1012	20042427	1	2-Mar-20	31-Ene-21	0,00
Private Cloud Appliance X5-2 Server Upgrade		20042427	1	2-Mar-20	31-Ene-21	4.123.225,49
UPGRD,X5-2,1U VCA COMPUTE SERVER, SLA, CMA (XOPTION)	1521NM1011	20042427	1	2-Mar-20	31-Ene-21	0,00
Private Cloud Appliance X5-2 Server Upgrade		20042427	1	2-Mar-20	31-Ene-21	4.123.225,49
UPGRD,X5-2,1U VCA COMPUTE SERVER, SLA, CMA (XOPTION)	1521NM1010	20042427	1	2-Mar-20	31-Ene-21	0,00
Private Cloud Appliance X5-2 Server Upgrade		20042427	1	2-Mar-20	31-Ene-21	4.123.225,49
UPGRD,X5-2,1U VCA COMPUTE SERVER, SLA, CMA (XOPTION)	1521NM100Y	20042427	1	2-Mar-20	31-Ene-21	0,00
Private Cloud Appliance X5-2 Server Upgrade		20042427	1	2-Mar-20	31-Ene-21	4.123.225,49
UPGRD,X5-2,1U VCA COMPUTE SERVER, SLA, CMA (XOPTION)	1521NM100X	20042427	1	2-Mar-20	31-Ene-21	0,00

Servicios de Soporte Técnico de Hardware						
Nivel de Servicio: Oracle Premier Support for Systems						

Descripción del Producto	Numero de Serie	CSI #	Can t.	Fecha de Inicio	Fecha de Finalización	Precio
Private Cloud Appliance X5-2 Server Upgrade		20042427	1	2-Mar-20	31-Ene-21	4.123.225,49
UPGRD,X5-2,1U VCA COMPUTE SERVER, SLA, CMA (XOPTION)	1521NM1003	20042427	1	2-Mar-20	31-Ene-21	0,00
Private Cloud Appliance X5-2 Server Upgrade		20042427	1	2-Mar-20	31-Ene-21	4.123.225,49
UPGRD,X5-2,1U VCA COMPUTE SERVER, SLA, CMA (XOPTION)	1521NM1002	20042427	1	2-Mar-20	31-Ene-21	0,00
Private Cloud Appliance X5-2 Server Upgrade		20042427	1	2-Mar-20	31-Ene-21	4.123.225,49
UPGRD,X5-2,1U VCA COMPUTE SERVER, SLA, CMA (XOPTION)	1521NM100W	20042427	1	2-Mar-20	31-Ene-21	0,00
Private Cloud Appliance X5-2 Server Upgrade		20042427	1	2-Mar-20	31-Ene-21	4.123.225,49
UPGRD,X5-2,1U VCA COMPUTE SERVER, SLA, CMA (XOPTION)	1521NM100V	20042427	1	2-Mar-20	31-Ene-21	0,00
Private Cloud Appliance X5-2 Server Upgrade		20042427	1	2-Mar-20	31-Ene-21	4.123.225,49
UPGRD,X5-2,1U VCA COMPUTE SERVER, SLA, CMA (XOPTION)	1521NM100U	20042427	1	2-Mar-20	31-Ene-21	0,00
Private Cloud Appliance X5-2 Server Upgrade		20042427	1	2-Mar-20	31-Ene-21	4.123.225,49
UPGRD,X5-2,1U VCA COMPUTE SERVER, SLA, CMA (XOPTION)	1521NM100T	20042427	1	2-Mar-20	31-Ene-21	0,00
Private Cloud Appliance X5-2 Server Upgrade		20042427	1	2-Mar-20	31-Ene-21	4.123.225,49
UPGRD,X5-2,1U VCA COMPUTE SERVER, SLA, CMA (XOPTION)	1521NM100P	20042427	1	2-Mar-20	31-Ene-21	0,00
Private Cloud Appliance X5-2 Server Upgrade		20042427	1	2-Mar-20	31-Ene-21	4.123.225,49
UPGRD,X5-2,1U VCA COMPUTE SERVER, SLA, CMA (XOPTION)	1521NM100N	20042427	1	2-Mar-20	31-Ene-21	0,00

Servicios de Soporte Técnico de Hardware						
Nivel de Servicio: Oracle Premier Support for Systems						

Descripción del Producto	Numero de Serie	CSI #	Can t.	Fecha de Inicio	Fecha de Finalización	Precio
Private Cloud Appliance X5-2 Server Upgrade		20042427	1	2-Mar-20	31-Ene-21	4.123.225,49
UPGRD,X5-2,1U VCA COMPUTE SERVER, SLA, CMA (XOPTION)	1521NM1005	20042427	1	2-Mar-20	31-Ene-21	0,00
Private Cloud Appliance X5-2 Server Upgrade		20042427	1	2-Mar-20	31-Ene-21	4.123.225,49
UPGRD,X5-2,1U VCA COMPUTE SERVER, SLA, CMA (XOPTION)	1521NM1004	20042427	1	2-Mar-20	31-Ene-21	0,00
Private Cloud Appliance X5-2 Server Upgrade		20042427	1	2-Mar-20	31-Ene-21	4.123.225,49
UPGRD,X5-2,1U VCA COMPUTE SERVER, SLA, CMA (XOPTION)	1521NM100L	20042427	1	2-Mar-20	31-Ene-21	0,00
Private Cloud Appliance X5-2 Server Upgrade		20042427	1	2-Mar-20	31-Ene-21	4.123.225,49
UPGRD,X5-2,1U VCA COMPUTE SERVER, SLA, CMA (XOPTION)	1521NM100K	20042427	1	2-Mar-20	31-Ene-21	0,00
Private Cloud Appliance X5-2 Server Upgrade		20042427	1	2-Mar-20	31-Ene-21	4.123.225,49
UPGRD,X5-2,1U VCA COMPUTE SERVER, SLA, CMA (XOPTION)	1521NM100J	20042427	1	2-Mar-20	31-Ene-21	0,00
Private Cloud Appliance X5-2 Server Upgrade		20042427	1	2-Mar-20	31-Ene-21	4.123.225,49
UPGRD,X5-2,1U VCA COMPUTE SERVER, SLA, CMA (XOPTION)	1521NM100H	20042427	1	2-Mar-20	31-Ene-21	0,00
Private Cloud Appliance X5-2 Server Upgrade		20042427	1	2-Mar-20	31-Ene-21	4.123.225,49
UPGRD,X5-2,1U VCA COMPUTE SERVER, SLA, CMA (XOPTION)	1521NM100F	20042427	1	2-Mar-20	31-Ene-21	0,00
Private Cloud Appliance X5-2 Server Upgrade		20042427	1	2-Mar-20	31-Ene-21	4.123.225,49
UPGRD,X5-2,1U VCA COMPUTE SERVER, SLA, CMA (XOPTION)	1521NM101K	20042427	1	2-Mar-20	31-Ene-21	0,00

Servicios de Soporte Técnico de Hardware						
Nivel de Servicio: Oracle Premier Support for Systems						

Descripción del Producto	Numero de Serie	CSI #	Can t.	Fecha de Inicio	Fecha de Finalización	Precio
Private Cloud Appliance X5-2 Server Upgrade		20042427	1	2-Mar-20	31-Ene-21	4.123.225,49
UPGRD,X5-2,1U VCA COMPUTE SERVER, SLA, CMA (XOPTION)	1521NM1001	20042427	1	2-Mar-20	31-Ene-21	0,00
Private Cloud Appliance X5-2 Server Upgrade		20042427	1	2-Mar-20	31-Ene-21	4.123.225,49
UPGRD,X5-2,1U VCA COMPUTE SERVER, SLA, CMA (XOPTION)	1519NM10A4	20042427	1	2-Mar-20	31-Ene-21	0,00
Private Cloud Appliance X5-2 Server Upgrade		20042427	1	2-Mar-20	31-Ene-21	4.123.225,49
UPGRD,X5-2,1U VCA COMPUTE SERVER, SLA, CMA (XOPTION)	1519NM10A3	20042427	1	2-Mar-20	31-Ene-21	0,00
Private Cloud Appliance X5-2 Server Upgrade		20042427	1	2-Mar-20	31-Ene-21	4.123.225,49
UPGRD,X5-2,1U VCA COMPUTE SERVER, SLA, CMA (XOPTION)	1519NM109Y	20042427	1	2-Mar-20	31-Ene-21	0,00
Private Cloud Appliance X5-2 Server Upgrade		20042427	1	2-Mar-20	31-Ene-21	4.123.225,49
UPGRD,X5-2,1U VCA COMPUTE SERVER, SLA, CMA (XOPTION)	1519NM109W	20042427	1	2-Mar-20	31-Ene-21	0,00
Private Cloud Appliance X5-2 Server Upgrade		20042427	1	2-Mar-20	31-Ene-21	4.123.225,49
UPGRD,X5-2,1U VCA COMPUTE SERVER, SLA, CMA (XOPTION)	1521NM101J	20042427	1	2-Mar-20	31-Ene-21	0,00
Private Cloud Appliance X5-2 Server Upgrade		20042427	1	2-Mar-20	31-Ene-21	4.123.225,49
UPGRD,X5-2,1U VCA COMPUTE SERVER, SLA, CMA (XOPTION)	1521NM101H	20042427	1	2-Mar-20	31-Ene-21	0,00
Private Cloud Appliance X5-2 Server Upgrade		20042427	1	2-Mar-20	31-Ene-21	4.123.225,49
UPGRD,X5-2,1U VCA COMPUTE SERVER, SLA, CMA (XOPTION)	1521NM101G	20042427	1	2-Mar-20	31-Ene-21	0,00

Tarifas del Soporte Técnico del Hardware: COP 923.505.347,08

Services de Soporte Técnico del Programa							
Nivel de Software Update License & Support							
Servicio:							

Descripción del Producto	CSI #	Cant.	Metrica de Licencia	Nivel/Tipo de Licencia	Fecha de Inicio	Fecha de Finalización	Precio
Exadata Storage Server Software - Flash Drive Perpetual	20075461	64		FULL USE	2-Mar-20	31-Ene-21	338.765.697,42
StorageTek Automated Cartridge System Library Software (ACSLs) - Server Perpetual	20075461	1		FULL USE	2-Mar-20	31-Ene-21	3.969.910,76

Tarifas del Soporte Técnico del Programa: COP 342.735.608,18

Servicios de Soporte Técnico de Hardware							
Nivel de Oracle Premier Support for Systems							
Servicio:							

Descripción del Producto	Numero de Serie	CSI #	Cant.	Fecha de Inicio	Fecha de Finalización	Precio
Installed At: Colombia Telecomunicaciones S.A E.S.P - Transversal 60 Avenida Suba No 114 A 55 Bogota Cundinamarca Colombia						
Oracle ZFS Storage Appliance Cloning - Integrated Software Option - per Management Controller Metric		22039435	2	23-Nov-19	31-Ene-21	3.201.516,64
Oracle ZFS Storage Appliance Replication - Integrated Software Option - per Management Controller Metric		22039435	2	23-Nov-19	31-Ene-21	6.403.033,28
Installed At: NEXSYS DE COLOMBIA S.A.S. - Au Medellín (Calle 80) Km 2 Autopista Medellín (Calle 80) Km 2 Cota CUNDINAMARCA						
Solid filler panel kit		22039424	4	23-Nov-19	31-Ene-21	100.614,05
Rack Clip Nut/Screw Kit,Qty 32		22039426	4	23-Nov-19	31-Ene-21	58.609,97
15M LC to LC FC Optical Cable		22039428	8	23-Nov-19	31-Ene-21	136.747,77
Oracle Storage Drive Enclosure DE3-24P: model family		22039435	1	23-Nov-19	31-Ene-21	0,00
Oracle Storage Drive Enclosure DE3-24P: model family	1847NMS809	22039435	1	23-Nov-19	31-Ene-21	0,00
Cable: 1 meter, mini SAS HD to mini SAS HD (for factory installation)		22039435	2	23-Nov-19	31-Ene-21	39.724,52
One 1.2 TB 10000 rpm 2.5-inch SAS-3 HDD with marlin bracket (for factory installation)		22039435	20	23-Nov-19	31-Ene-21	2.070.887,86

Servicios de Soporte Técnico de Hardware						
Nivel de Servicio:		Oracle Premier Support for Systems				

Descripción del Producto	Numero de Serie	CSI #	Can t.	Fecha de Inicio	Fecha de Finalización	Precio
One 2.5-inch eMLC SAS SSD write flash accelerator with marlin bracket (for factory installation)		22039435	2	23-Nov-19	31-Ene-21	636.570,23
One 3.2 TB 2.5-inch SAS SSD with marlin bracket (for factory installation)		22039435	1	23-Nov-19	31-Ene-21	1.056.608,93
Oracle Storage Drive Enclosure DE3-24P: base chassis (for factory installation)		22039435	1	23-Nov-19	31-Ene-21	603.357,92
Power cord: Sun Rack jumper, straight, 3 meters, C14 plug, C13 connector, 15 A (for factory installation)		22039435	2	23-Nov-19	31-Ene-21	8.140,56
Oracle Storage Drive Enclosure DE3-24P: model family		22039435	1	23-Nov-19	31-Ene-21	0,00
Oracle Storage Drive Enclosure DE3-24P: model family	1847NMS81V	22039435	1	23-Nov-19	31-Ene-21	0,00
Cable: 1 meter, mini SAS HD to mini SAS HD (for factory installation)		22039435	2	23-Nov-19	31-Ene-21	39.724,52
One 1.2 TB 10000 rpm 2.5-inch SAS-3 HDD with marlin bracket (for factory installation)		22039435	20	23-Nov-19	31-Ene-21	2.070.887,86
One 2.5-inch eMLC SAS SSD write flash accelerator with marlin bracket (for factory installation)		22039435	2	23-Nov-19	31-Ene-21	636.570,23
One 3.2 TB 2.5-inch SAS SSD with marlin bracket (for factory installation)		22039435	1	23-Nov-19	31-Ene-21	1.056.608,93
Oracle Storage Drive Enclosure DE3-24P: base chassis (for factory installation)		22039435	1	23-Nov-19	31-Ene-21	603.357,92
Power cord: Sun Rack jumper, straight, 3 meters, C14 plug, C13 connector, 15 A (for factory installation)		22039435	2	23-Nov-19	31-Ene-21	8.140,56
Oracle Storage Drive Enclosure DE3-24P: model family		22039435	1	23-Nov-19	31-Ene-21	0,00
Oracle Storage Drive Enclosure DE3-24P: model family	1847NMS80J	22039435	1	23-Nov-19	31-Ene-21	0,00
Cable: 1 meter, mini SAS HD to mini SAS HD (for factory installation)		22039435	2	23-Nov-19	31-Ene-21	39.724,52
One 1.2 TB 10000 rpm 2.5-inch SAS-3 HDD with marlin bracket (for factory installation)		22039435	20	23-Nov-19	31-Ene-21	2.070.887,86

Servicios de Soporte Técnico de Hardware						
Nivel de Servicio:		Oracle Premier Support for Systems				

Descripción del Producto	Numero de Serie	CSI #	Can t.	Fecha de Inicio	Fecha de Finalización	Precio
One 2.5-inch eMLC SAS SSD write flash accelerator with marlin bracket (for factory installation)		22039435	2	23-Nov-19	31-Ene-21	636.570,23
One 3.2 TB 2.5-inch SAS SSD with marlin bracket (for factory installation)		22039435	1	23-Nov-19	31-Ene-21	1.056.608,93
Oracle Storage Drive Enclosure DE3-24P: base chassis (for factory installation)		22039435	1	23-Nov-19	31-Ene-21	603.357,92
Power cord: Sun Rack jumper, straight, 3 meters, C14 plug, C13 connector, 15 A (for factory installation)		22039435	2	23-Nov-19	31-Ene-21	8.140,56
Oracle Storage Drive Enclosure DE3-24P: model family		22039435	1	23-Nov-19	31-Ene-21	0,00
Oracle Storage Drive Enclosure DE3-24P: model family	1847NMS80H	22039435	1	23-Nov-19	31-Ene-21	0,00
Cable: 1 meter, mini SAS HD to mini SAS HD (for factory installation)		22039435	2	23-Nov-19	31-Ene-21	39.724,52
One 1.2 TB 10000 rpm 2.5-inch SAS-3 HDD with marlin bracket (for factory installation)		22039435	20	23-Nov-19	31-Ene-21	2.070.887,86
One 2.5-inch eMLC SAS SSD write flash accelerator with marlin bracket (for factory installation)		22039435	2	23-Nov-19	31-Ene-21	636.570,23
One 3.2 TB 2.5-inch SAS SSD with marlin bracket (for factory installation)		22039435	1	23-Nov-19	31-Ene-21	1.056.608,93
Oracle Storage Drive Enclosure DE3-24P: base chassis (for factory installation)		22039435	1	23-Nov-19	31-Ene-21	603.357,92
Power cord: Sun Rack jumper, straight, 3 meters, C14 plug, C13 connector, 15 A (for factory installation)		22039435	2	23-Nov-19	31-Ene-21	8.140,56
Oracle Storage Drive Enclosure DE3-24P: model family		22039435	1	23-Nov-19	31-Ene-21	0,00
Oracle Storage Drive Enclosure DE3-24P: model family	1847NMS80L	22039435	1	23-Nov-19	31-Ene-21	0,00
Cable: 1 meter, mini SAS HD to mini SAS HD (for factory installation)		22039435	2	23-Nov-19	31-Ene-21	39.724,52
One 1.2 TB 10000 rpm 2.5-inch SAS-3 HDD with marlin bracket (for factory installation)		22039435	20	23-Nov-19	31-Ene-21	2.070.887,86

Servicios de Soporte Técnico de Hardware						
Nivel de Servicio:		Oracle Premier Support for Systems				

Descripción del Producto	Numero de Serie	CSI #	Can t.	Fecha de Inicio	Fecha de Finalización	Precio
One 2.5-inch eMLC SAS SSD write flash accelerator with marlin bracket (for factory installation)		22039435	2	23-Nov-19	31-Ene-21	636.570,23
One 3.2 TB 2.5-inch SAS SSD with marlin bracket (for factory installation)		22039435	1	23-Nov-19	31-Ene-21	1.056.608,93
Oracle Storage Drive Enclosure DE3-24P: base chassis (for factory installation)		22039435	1	23-Nov-19	31-Ene-21	603.357,92
Power cord: Sun Rack jumper, straight, 3 meters, C14 plug, C13 connector, 15 A (for factory installation)		22039435	2	23-Nov-19	31-Ene-21	8.140,56
Oracle Storage Drive Enclosure DE3-24P: model family		22039435	1	23-Nov-19	31-Ene-21	0,00
Oracle Storage Drive Enclosure DE3-24P: model family	1847NMS80T	22039435	1	23-Nov-19	31-Ene-21	0,00
Cable: 1 meter, mini SAS HD to mini SAS HD (for factory installation)		22039435	2	23-Nov-19	31-Ene-21	39.724,52
One 1.2 TB 10000 rpm 2.5-inch SAS-3 HDD with marlin bracket (for factory installation)		22039435	20	23-Nov-19	31-Ene-21	2.070.887,86
One 2.5-inch eMLC SAS SSD write flash accelerator with marlin bracket (for factory installation)		22039435	2	23-Nov-19	31-Ene-21	636.570,23
One 3.2 TB 2.5-inch SAS SSD with marlin bracket (for factory installation)		22039435	1	23-Nov-19	31-Ene-21	1.056.608,93
Oracle Storage Drive Enclosure DE3-24P: base chassis (for factory installation)		22039435	1	23-Nov-19	31-Ene-21	603.357,92
Power cord: Sun Rack jumper, straight, 3 meters, C14 plug, C13 connector, 15 A (for factory installation)		22039435	2	23-Nov-19	31-Ene-21	8.140,56
Oracle Storage Drive Enclosure DE3-24P: model family		22039435	1	23-Nov-19	31-Ene-21	0,00
Oracle Storage Drive Enclosure DE3-24P: model family	1847NMS80D	22039435	1	23-Nov-19	31-Ene-21	0,00
Cable: 1 meter, mini SAS HD to mini SAS HD (for factory installation)		22039435	2	23-Nov-19	31-Ene-21	39.724,52
One 1.2 TB 10000 rpm 2.5-inch SAS-3 HDD with marlin bracket (for factory installation)		22039435	20	23-Nov-19	31-Ene-21	2.070.887,86

Servicios de Soporte Técnico de Hardware						
Nivel de Servicio:		Oracle Premier Support for Systems				

Descripción del Producto	Numero de Serie	CSI #	Can t.	Fecha de Inicio	Fecha de Finalización	Precio
One 2.5-inch eMLC SAS SSD write flash accelerator with marlin bracket (for factory installation)		22039435	2	23-Nov-19	31-Ene-21	636.570,23
One 3.2 TB 2.5-inch SAS SSD with marlin bracket (for factory installation)		22039435	1	23-Nov-19	31-Ene-21	1.056.608,93
Oracle Storage Drive Enclosure DE3-24P: base chassis (for factory installation)		22039435	1	23-Nov-19	31-Ene-21	603.357,92
Power cord: Sun Rack jumper, straight, 3 meters, C14 plug, C13 connector, 15 A (for factory installation)		22039435	2	23-Nov-19	31-Ene-21	8.140,56
Oracle Storage Drive Enclosure DE3-24P: model family		22039435	1	23-Nov-19	31-Ene-21	0,00
Oracle Storage Drive Enclosure DE3-24P: model family	1847NMS80F	22039435	1	23-Nov-19	31-Ene-21	0,00
Cable: 1 meter, mini SAS HD to mini SAS HD (for factory installation)		22039435	2	23-Nov-19	31-Ene-21	39.724,52
One 1.2 TB 10000 rpm 2.5-inch SAS-3 HDD with marlin bracket (for factory installation)		22039435	20	23-Nov-19	31-Ene-21	2.070.887,86
One 2.5-inch eMLC SAS SSD write flash accelerator with marlin bracket (for factory installation)		22039435	2	23-Nov-19	31-Ene-21	636.570,23
One 3.2 TB 2.5-inch SAS SSD with marlin bracket (for factory installation)		22039435	1	23-Nov-19	31-Ene-21	1.056.608,93
Oracle Storage Drive Enclosure DE3-24P: base chassis (for factory installation)		22039435	1	23-Nov-19	31-Ene-21	603.357,92
Power cord: Sun Rack jumper, straight, 3 meters, C14 plug, C13 connector, 15 A (for factory installation)		22039435	2	23-Nov-19	31-Ene-21	8.140,56
Oracle Storage Drive Enclosure DE3-24P: model family		22039435	1	23-Nov-19	31-Ene-21	0,00
Oracle Storage Drive Enclosure DE3-24P: model family	1847NMS80N	22039435	1	23-Nov-19	31-Ene-21	0,00
Cable: 1 meter, mini SAS HD to mini SAS HD (for factory installation)		22039435	2	23-Nov-19	31-Ene-21	39.724,52
One 1.2 TB 10000 rpm 2.5-inch SAS-3 HDD with marlin bracket (for factory installation)		22039435	20	23-Nov-19	31-Ene-21	2.070.887,86

Servicios de Soporte Técnico de Hardware						
Nivel de Servicio:		Oracle Premier Support for Systems				

Descripción del Producto	Numero de Serie	CSI #	Can t.	Fecha de Inicio	Fecha de Finalización	Precio
One 2.5-inch eMLC SAS SSD write flash accelerator with marlin bracket (for factory installation)		22039435	2	23-Nov-19	31-Ene-21	636.570,23
One 3.2 TB 2.5-inch SAS SSD with marlin bracket (for factory installation)		22039435	1	23-Nov-19	31-Ene-21	1.056.608,93
Oracle Storage Drive Enclosure DE3-24P: base chassis (for factory installation)		22039435	1	23-Nov-19	31-Ene-21	603.357,92
Power cord: Sun Rack jumper, straight, 3 meters, C14 plug, C13 connector, 15 A (for factory installation)		22039435	2	23-Nov-19	31-Ene-21	8.140,56
Oracle Storage Drive Enclosure DE3-24P: model family		22039435	1	23-Nov-19	31-Ene-21	0,00
Oracle Storage Drive Enclosure DE3-24P: model family	1847NMS80B	22039435	1	23-Nov-19	31-Ene-21	0,00
Cable: 1 meter, mini SAS HD to mini SAS HD (for factory installation)		22039435	2	23-Nov-19	31-Ene-21	39.724,52
One 1.2 TB 10000 rpm 2.5-inch SAS-3 HDD with marlin bracket (for factory installation)		22039435	20	23-Nov-19	31-Ene-21	2.070.887,86
One 2.5-inch eMLC SAS SSD write flash accelerator with marlin bracket (for factory installation)		22039435	2	23-Nov-19	31-Ene-21	636.570,23
One 3.2 TB 2.5-inch SAS SSD with marlin bracket (for factory installation)		22039435	1	23-Nov-19	31-Ene-21	1.056.608,93
Oracle Storage Drive Enclosure DE3-24P: base chassis (for factory installation)		22039435	1	23-Nov-19	31-Ene-21	603.357,92
Power cord: Sun Rack jumper, straight, 3 meters, C14 plug, C13 connector, 15 A (for factory installation)		22039435	2	23-Nov-19	31-Ene-21	8.140,56
Oracle Storage Drive Enclosure DE3-24P: model family		22039435	1	23-Nov-19	31-Ene-21	0,00
Oracle Storage Drive Enclosure DE3-24P: model family	1847NMS80E	22039435	1	23-Nov-19	31-Ene-21	0,00
Cable: 1 meter, mini SAS HD to mini SAS HD (for factory installation)		22039435	2	23-Nov-19	31-Ene-21	39.724,52
One 1.2 TB 10000 rpm 2.5-inch SAS-3 HDD with marlin bracket (for factory installation)		22039435	20	23-Nov-19	31-Ene-21	2.070.887,86

Servicios de Soporte Técnico de Hardware						
Nivel de Servicio:		Oracle Premier Support for Systems				

Descripción del Producto	Numero de Serie	CSI #	Can t.	Fecha de Inicio	Fecha de Finalización	Precio
One 2.5-inch eMLC SAS SSD write flash accelerator with marlin bracket (for factory installation)		22039435	2	23-Nov-19	31-Ene-21	636.570,23
One 3.2 TB 2.5-inch SAS SSD with marlin bracket (for factory installation)		22039435	1	23-Nov-19	31-Ene-21	1.056.608,93
Oracle Storage Drive Enclosure DE3-24P: base chassis (for factory installation)		22039435	1	23-Nov-19	31-Ene-21	603.357,92
Power cord: Sun Rack jumper, straight, 3 meters, C14 plug, C13 connector, 15 A (for factory installation)		22039435	2	23-Nov-19	31-Ene-21	8.140,56
Oracle Storage Drive Enclosure DE3-24P: model family		22039435	1	23-Nov-19	31-Ene-21	0,00
Oracle Storage Drive Enclosure DE3-24P: model family	1847NMS808	22039435	1	23-Nov-19	31-Ene-21	0,00
Cable: 1 meter, mini SAS HD to mini SAS HD (for factory installation)		22039435	2	23-Nov-19	31-Ene-21	39.724,52
One 1.2 TB 10000 rpm 2.5-inch SAS-3 HDD with marlin bracket (for factory installation)		22039435	20	23-Nov-19	31-Ene-21	2.070.887,86
One 2.5-inch eMLC SAS SSD write flash accelerator with marlin bracket (for factory installation)		22039435	2	23-Nov-19	31-Ene-21	636.570,23
One 3.2 TB 2.5-inch SAS SSD with marlin bracket (for factory installation)		22039435	1	23-Nov-19	31-Ene-21	1.056.608,93
Oracle Storage Drive Enclosure DE3-24P: base chassis (for factory installation)		22039435	1	23-Nov-19	31-Ene-21	603.357,92
Power cord: Sun Rack jumper, straight, 3 meters, C14 plug, C13 connector, 15 A (for factory installation)		22039435	2	23-Nov-19	31-Ene-21	8.140,56
Oracle Storage Drive Enclosure DE3-24P: model family		22039435	1	23-Nov-19	31-Ene-21	0,00
Oracle Storage Drive Enclosure DE3-24P: model family	1847NMS80M	22039435	1	23-Nov-19	31-Ene-21	0,00
Cable: 1 meter, mini SAS HD to mini SAS HD (for factory installation)		22039435	2	23-Nov-19	31-Ene-21	39.724,52
One 1.2 TB 10000 rpm 2.5-inch SAS-3 HDD with marlin bracket (for factory installation)		22039435	20	23-Nov-19	31-Ene-21	2.070.887,86

Servicios de Soporte Técnico de Hardware						
Nivel de Servicio:		Oracle Premier Support for Systems				

Descripción del Producto	Numero de Serie	CSI #	Can t.	Fecha de Inicio	Fecha de Finalización	Precio
One 2.5-inch eMLC SAS SSD write flash accelerator with marlin bracket (for factory installation)		22039435	2	23-Nov-19	31-Ene-21	636.570,23
One 3.2 TB 2.5-inch SAS SSD with marlin bracket (for factory installation)		22039435	1	23-Nov-19	31-Ene-21	1.056.608,93
Oracle Storage Drive Enclosure DE3-24P: base chassis (for factory installation)		22039435	1	23-Nov-19	31-Ene-21	603.357,92
Power cord: Sun Rack jumper, straight, 3 meters, C14 plug, C13 connector, 15 A (for factory installation)		22039435	2	23-Nov-19	31-Ene-21	8.140,56
Oracle Storage Drive Enclosure DE3-24P: model family		22039435	1	23-Nov-19	31-Ene-21	0,00
Oracle Storage Drive Enclosure DE3-24P: model family	1847NMS80K	22039435	1	23-Nov-19	31-Ene-21	0,00
Cable: 1 meter, mini SAS HD to mini SAS HD (for factory installation)		22039435	2	23-Nov-19	31-Ene-21	39.724,52
One 1.2 TB 10000 rpm 2.5-inch SAS-3 HDD with marlin bracket (for factory installation)		22039435	20	23-Nov-19	31-Ene-21	2.070.887,86
One 2.5-inch eMLC SAS SSD write flash accelerator with marlin bracket (for factory installation)		22039435	2	23-Nov-19	31-Ene-21	636.570,23
One 3.2 TB 2.5-inch SAS SSD with marlin bracket (for factory installation)		22039435	1	23-Nov-19	31-Ene-21	1.056.608,93
Oracle Storage Drive Enclosure DE3-24P: base chassis (for factory installation)		22039435	1	23-Nov-19	31-Ene-21	603.357,92
Power cord: Sun Rack jumper, straight, 3 meters, C14 plug, C13 connector, 15 A (for factory installation)		22039435	2	23-Nov-19	31-Ene-21	8.140,56
Oracle Storage Drive Enclosure DE3-24P: model family		22039435	1	23-Nov-19	31-Ene-21	0,00
Oracle Storage Drive Enclosure DE3-24P: model family	1847NMS80R	22039435	1	23-Nov-19	31-Ene-21	0,00
Cable: 1 meter, mini SAS HD to mini SAS HD (for factory installation)		22039435	2	23-Nov-19	31-Ene-21	39.724,52
One 1.2 TB 10000 rpm 2.5-inch SAS-3 HDD with marlin bracket (for factory installation)		22039435	20	23-Nov-19	31-Ene-21	2.070.887,86

Servicios de Soporte Técnico de Hardware						
Nivel de Servicio:		Oracle Premier Support for Systems				

Descripción del Producto	Numero de Serie	CSI #	Can t.	Fecha de Inicio	Fecha de Finalización	Precio
One 2.5-inch eMLC SAS SSD write flash accelerator with marlin bracket (for factory installation)		22039435	2	23-Nov-19	31-Ene-21	636.570,23
One 3.2 TB 2.5-inch SAS SSD with marlin bracket (for factory installation)		22039435	1	23-Nov-19	31-Ene-21	1.056.608,93
Oracle Storage Drive Enclosure DE3-24P: base chassis (for factory installation)		22039435	1	23-Nov-19	31-Ene-21	603.357,92
Power cord: Sun Rack jumper, straight, 3 meters, C14 plug, C13 connector, 15 A (for factory installation)		22039435	2	23-Nov-19	31-Ene-21	8.140,56
Oracle Storage Drive Enclosure DE3-24P: model family		22039435	1	23-Nov-19	31-Ene-21	0,00
Oracle Storage Drive Enclosure DE3-24P: model family	1847NMS80A	22039435	1	23-Nov-19	31-Ene-21	0,00
Cable: 1 meter, mini SAS HD to mini SAS HD (for factory installation)		22039435	2	23-Nov-19	31-Ene-21	39.724,52
One 1.2 TB 10000 rpm 2.5-inch SAS-3 HDD with marlin bracket (for factory installation)		22039435	20	23-Nov-19	31-Ene-21	2.070.887,86
One 2.5-inch eMLC SAS SSD write flash accelerator with marlin bracket (for factory installation)		22039435	2	23-Nov-19	31-Ene-21	636.570,23
One 3.2 TB 2.5-inch SAS SSD with marlin bracket (for factory installation)		22039435	1	23-Nov-19	31-Ene-21	1.056.608,93
Oracle Storage Drive Enclosure DE3-24P: base chassis (for factory installation)		22039435	1	23-Nov-19	31-Ene-21	603.357,92
Power cord: Sun Rack jumper, straight, 3 meters, C14 plug, C13 connector, 15 A (for factory installation)		22039435	2	23-Nov-19	31-Ene-21	8.140,56
Oracle Storage Drive Enclosure DE3-24P: model family		22039435	1	23-Nov-19	31-Ene-21	0,00
Oracle Storage Drive Enclosure DE3-24P: model family	1847NMS80G	22039435	1	23-Nov-19	31-Ene-21	0,00
Cable: 1 meter, mini SAS HD to mini SAS HD (for factory installation)		22039435	2	23-Nov-19	31-Ene-21	39.724,52
One 1.2 TB 10000 rpm 2.5-inch SAS-3 HDD with marlin bracket (for factory installation)		22039435	20	23-Nov-19	31-Ene-21	2.070.887,86

Servicios de Soporte Técnico de Hardware						
Nivel de Servicio:		Oracle Premier Support for Systems				

Descripción del Producto	Numero de Serie	CSI #	Can t.	Fecha de Inicio	Fecha de Finalización	Precio
One 2.5-inch eMLC SAS SSD write flash accelerator with marlin bracket (for factory installation)		22039435	2	23-Nov-19	31-Ene-21	636.570,23
One 3.2 TB 2.5-inch SAS SSD with marlin bracket (for factory installation)		22039435	1	23-Nov-19	31-Ene-21	1.056.608,93
Oracle Storage Drive Enclosure DE3-24P: base chassis (for factory installation)		22039435	1	23-Nov-19	31-Ene-21	603.357,92
Power cord: Sun Rack jumper, straight, 3 meters, C14 plug, C13 connector, 15 A (for factory installation)		22039435	2	23-Nov-19	31-Ene-21	8.140,56
Oracle Storage Drive Enclosure DE3-24P: model family		22039435	1	23-Nov-19	31-Ene-21	0,00
Oracle Storage Drive Enclosure DE3-24P: model family	1847NMS80P	22039435	1	23-Nov-19	31-Ene-21	0,00
Cable: 1 meter, mini SAS HD to mini SAS HD (for factory installation)		22039435	2	23-Nov-19	31-Ene-21	39.724,52
One 1.2 TB 10000 rpm 2.5-inch SAS-3 HDD with marlin bracket (for factory installation)		22039435	20	23-Nov-19	31-Ene-21	2.070.887,86
One 2.5-inch eMLC SAS SSD write flash accelerator with marlin bracket (for factory installation)		22039435	2	23-Nov-19	31-Ene-21	636.570,23
One 3.2 TB 2.5-inch SAS SSD with marlin bracket (for factory installation)		22039435	1	23-Nov-19	31-Ene-21	1.056.608,93
Oracle Storage Drive Enclosure DE3-24P: base chassis (for factory installation)		22039435	1	23-Nov-19	31-Ene-21	603.357,92
Power cord: Sun Rack jumper, straight, 3 meters, C14 plug, C13 connector, 15 A (for factory installation)		22039435	2	23-Nov-19	31-Ene-21	8.140,56
Oracle ZFS Storage ZS5-4: model family		22039435	1	23-Nov-19	31-Ene-21	0,00
Oracle ZFS Storage ZS5-4: model family	1847NMH001	22039435	1	23-Nov-19	31-Ene-21	0,00
2 Sun Storage 16 Gb FC short wave optics, Qlogic (for factory installation)		22039435	2	23-Nov-19	31-Ene-21	312.587,08
Cable: 6 meters, mini SAS HD to mini SAS HD (for factory installation)		22039435	12	23-Nov-19	31-Ene-21	468.880,31

Servicios de Soporte Técnico de Hardware						
Nivel de Servicio: Oracle Premier Support for Systems						

Descripción del Producto	Numero de Serie	CSI #	Can t.	Fecha de Inicio	Fecha de Finalización	Precio
One 16 GB DDR3-1600 DIMM (for factory installation)		22039435	96	23-Nov-19	31-Ene-21	6.564.325,04
Optical cable assembly: 20 meters, MT ferrule terminated, 12-fiber, multimode, MPO connectors (for factory installation)		22039435	4	23-Nov-19	31-Ene-21	688.342,63
Oracle Dual Port QDR InfiniBand Adapter M3 (for factory installation)		22039435	2	23-Nov-19	31-Ene-21	892.175,11
Oracle Storage 12 Gb SAS-3 HBA PCIe, low profile: 16 port (for factory installation)		22039435	1	23-Nov-19	31-Ene-21	192.599,29
Oracle ZFS Storage ZS5-4: controller		22039435	1	23-Nov-19	31-Ene-21	13.337.367,00
Power cord: Sun Rack jumper, straight, 3 meters, C14 plug, C13 connector, 15 A (for factory installation)		22039435	2	23-Nov-19	31-Ene-21	8.140,56
QSFP parallel fiber optics short wave transceiver (for factory Installation)		22039435	8	23-Nov-19	31-Ene-21	1.155.269,32
Sun Dual Port 10GBase-T Adapter (for factory installation)		22039435	2	23-Nov-19	31-Ene-21	406.363,02
Sun Storage Dual 16 Gb Fibre Channel PCIe Universal HBA, Qlogic (for factory installation)		22039435	2	23-Nov-19	31-Ene-21	552.236,74

Oracle ZFS Storage ZS5-4: model family		22039435	1	23-Nov-19	31-Ene-21	0,00
Oracle ZFS Storage ZS5-4: model family	1847NMH002	22039435	1	23-Nov-19	31-Ene-21	0,00
2 Sun Storage 16 Gb FC short wave optics, Qlogic (for factory installation)		22039435	2	23-Nov-19	31-Ene-21	312.587,08
Cable: 6 meters, mini SAS HD to mini SAS HD (for factory installation)		22039435	12	23-Nov-19	31-Ene-21	468.880,31
One 16 GB DDR3-1600 DIMM (for factory installation)		22039435	96	10-Dic-19	31-Ene-21	8.270.134,28
Optical cable assembly: 20 meters, MT ferrule terminated, 12-fiber, multimode, MPO connectors (for factory installation)		22039435	4	23-Nov-19	31-Ene-21	688.342,63
Oracle Dual Port QDR InfiniBand Adapter M3 (for factory installation)		22039435	2	23-Nov-19	31-Ene-21	892.175,11
Oracle Storage 12 Gb SAS-3 HBA PCIe, low profile: 16 port (for factory installation)		22039435	1	23-Nov-19	31-Ene-21	192.599,29

Servicios de Soporte Técnico de Hardware						
Nivel de Servicio:		Oracle Premier Support for Systems				

Descripción del Producto	Numero de Serie	CSI #	Can t.	Fecha de Inicio	Fecha de Finalización	Precio
Oracle ZFS Storage ZS5-4: controller		22039435	1	23-Nov-19	31-Ene-21	13.337.367,00
Power cord: Sun Rack jumper, straight, 3 meters, C14 plug, C13 connector, 15 A (for factory installation)		22039435	2	23-Nov-19	31-Ene-21	8.140,56
QSFP parallel fiber optics short wave transceiver (for factory Installation)		22039435	8	23-Nov-19	31-Ene-21	1.155.269,32
Sun Dual Port 10GBase-T Adapter (for factory installation)		22039435	2	23-Nov-19	31-Ene-21	406.363,02
Sun Storage Dual 16 Gb Fibre Channel PCIe Universal HBA, Qlogic (for factory installation)		22039435	2	23-Nov-19	31-Ene-21	552.236,74
3-phase high voltage 15 kVA PDU (UL and EN 300 386 compliant)		22039438	4	23-Nov-19	31-Ene-21	1.269.884,37
Oracle Rack Cabinet 1242		22039439	2	23-Nov-19	31-Ene-21	0,00
Jumper Cable Kit		22039451	2	23-Nov-19	31-Ene-21	96.706,73

Tarifas del Soporte Técnico del Hardware: COP 141.604.714,61

Servicios de Soporte Técnico de Hardware						
Nivel de Servicio:		Oracle Premier Support for Systems				

Descripción del Producto	Numero de Serie	CSI #	Can t.	Fecha de Inicio	Fecha de Finalización	Precio
Installed At: NEXSYS DE COLOMBIA S.A.S. - Au Medellín (Calle 80) Km 2 Autopista Medellín (Calle 80) Km 2 Cota CUNDINAMARCA						
Oracle Storage Drive Enclosure DE3-24P: model family		22039435	1	10-Dic-19	31-Ene-21	0,00
Oracle Storage Drive Enclosure DE3-24P: model family	1847NMS82U	22039435	1	10-Dic-19	31-Ene-21	0,00
Cable: 1 meter, mini SAS HD to mini SAS HD (for factory installation)		22039435	2	10-Dic-19	31-Ene-21	40.764,66
One 2.5-inch eMLC SAS SSD write flash accelerator with marlin bracket (for factory installation)		22039435	2	10-Dic-19	31-Ene-21	653.236,79
One 3.2 TB 2.5-inch SAS SSD with marlin bracket (for factory installation)		22039435	20	10-Dic-19	31-Ene-21	21.685.456,87

Servicios de Soporte Técnico de Hardware						
Nivel de Servicio:		Oracle Premier Support for Systems				

Descripción del Producto	Numero de Serie	CSI #	Can t.	Fecha de Inicio	Fecha de Finalización	Precio
Oracle Storage Drive Enclosure DE3-24P: base chassis (for factory installation)		22039435	1	10-Dic-19	31-Ene-21	619.154,89
Power cord: Sun Rack jumper, straight, 3 meters, C14 plug, C13 connector, 15 A (for factory installation)		22039435	2	10-Dic-19	31-Ene-21	8.353,41
Oracle Storage Drive Enclosure DE3-24P: model family		22039435	1	10-Dic-19	31-Ene-21	0,00
Oracle Storage Drive Enclosure DE3-24P: model family	1847NMS82W	22039435	1	10-Dic-19	31-Ene-21	0,00
Cable: 1 meter, mini SAS HD to mini SAS HD (for factory installation)		22039435	2	10-Dic-19	31-Ene-21	40.764,66
One 2.5-inch eMLC SAS SSD write flash accelerator with marlin bracket (for factory installation)		22039435	2	10-Dic-19	31-Ene-21	653.236,79
One 3.2 TB 2.5-inch SAS SSD with marlin bracket (for factory installation)		22039435	20	10-Dic-19	31-Ene-21	21.685.456,87
Oracle Storage Drive Enclosure DE3-24P: base chassis (for factory installation)		22039435	1	10-Dic-19	31-Ene-21	619.154,89
Power cord: Sun Rack jumper, straight, 3 meters, C14 plug, C13 connector, 15 A (for factory installation)		22039435	2	10-Dic-19	31-Ene-21	8.353,41
Oracle Storage Drive Enclosure DE3-24P: model family		22039435	1	10-Dic-19	31-Ene-21	0,00
Oracle Storage Drive Enclosure DE3-24P: model family	1847NMS82R	22039435	1	10-Dic-19	31-Ene-21	0,00
Cable: 1 meter, mini SAS HD to mini SAS HD (for factory installation)		22039435	2	10-Dic-19	31-Ene-21	40.764,66
One 2.5-inch eMLC SAS SSD write flash accelerator with marlin bracket (for factory installation)		22039435	2	10-Dic-19	31-Ene-21	653.236,95
One 3.2 TB 2.5-inch SAS SSD with marlin bracket (for factory installation)		22039435	20	10-Dic-19	31-Ene-21	21.685.456,87
Oracle Storage Drive Enclosure DE3-24P: base chassis (for factory installation)		22039435	1	10-Dic-19	31-Ene-21	619.154,89

Servicios de Soporte Técnico de Hardware						
Nivel de Servicio:		Oracle Premier Support for Systems				

Descripción del Producto	Numero de Serie	CSI #	Can t.	Fecha de Inicio	Fecha de Finalización	Precio
Power cord: Sun Rack jumper, straight, 3 meters, C14 plug, C13 connector, 15 A (for factory installation)		22039435	2	10-Dic-19	31-Ene-21	8.353,41
Oracle Storage Drive Enclosure DE3-24P: model family		22039435	1	10-Dic-19	31-Ene-21	0,00
Oracle Storage Drive Enclosure DE3-24P: model family	1847NMS82V	22039435	1	10-Dic-19	31-Ene-21	0,00
Cable: 1 meter, mini SAS HD to mini SAS HD (for factory installation)		22039435	2	10-Dic-19	31-Ene-21	40.764,66
One 2.5-inch eMLC SAS SSD write flash accelerator with marlin bracket (for factory installation)		22039435	2	10-Dic-19	31-Ene-21	653.236,79
One 3.2 TB 2.5-inch SAS SSD with marlin bracket (for factory installation)		22039435	20	10-Dic-19	31-Ene-21	21.685.456,87
Oracle Storage Drive Enclosure DE3-24P: base chassis (for factory installation)		22039435	1	10-Dic-19	31-Ene-21	619.154,89
Power cord: Sun Rack jumper, straight, 3 meters, C14 plug, C13 connector, 15 A (for factory installation)		22039435	2	10-Dic-19	31-Ene-21	8.353,41
Oracle Storage Drive Enclosure DE3-24P: model family		22039435	1	10-Dic-19	31-Ene-21	0,00
Oracle Storage Drive Enclosure DE3-24P: model family	1847NMS82X	22039435	1	10-Dic-19	31-Ene-21	0,00
Cable: 1 meter, mini SAS HD to mini SAS HD (for factory installation)		22039435	2	10-Dic-19	31-Ene-21	40.764,66
One 2.5-inch eMLC SAS SSD write flash accelerator with marlin bracket (for factory installation)		22039435	2	10-Dic-19	31-Ene-21	653.236,79
One 3.2 TB 2.5-inch SAS SSD with marlin bracket (for factory installation)		22039435	20	10-Dic-19	31-Ene-21	21.685.456,87
Oracle Storage Drive Enclosure DE3-24P: base chassis (for factory installation)		22039435	1	10-Dic-19	31-Ene-21	619.154,89
Power cord: Sun Rack jumper, straight, 3 meters, C14 plug, C13 connector, 15 A (for factory installation)		22039435	2	10-Dic-19	31-Ene-21	8.353,41

Servicios de Soporte Técnico de Hardware	
Nivel de Servicio:	Oracle Premier Support for Systems

Descripción del Producto	Numero de Serie	CSI #	Can t.	Fecha de Inicio	Fecha de Finalización	Precio
Oracle Storage Drive Enclosure DE3-24P: model family		22039435	1	10-Dic-19	31-Ene-21	0,00
Oracle Storage Drive Enclosure DE3-24P: model family	1847NMS82T	22039435	1	10-Dic-19	31-Ene-21	0,00
Cable: 1 meter, mini SAS HD to mini SAS HD (for factory installation)		22039435	2	10-Dic-19	31-Ene-21	40.764,66
One 2.5-inch eMLC SAS SSD write flash accelerator with marlin bracket (for factory installation)		22039435	2	10-Dic-19	31-Ene-21	653.236,79
One 3.2 TB 2.5-inch SAS SSD with marlin bracket (for factory installation)		22039435	20	10-Dic-19	31-Ene-21	21.685.456,87
Oracle Storage Drive Enclosure DE3-24P: base chassis (for factory installation)		22039435	1	10-Dic-19	31-Ene-21	619.154,89
Power cord: Sun Rack jumper, straight, 3 meters, C14 plug, C13 connector, 15 A (for factory installation)		22039435	2	10-Dic-19	31-Ene-21	8.353,41

Tarifas del Soporte Técnico del Hardware: COP 138.041.799,88

***Precio Total: COP 1.545.887.469,75**

Precio Total con IVA: 1.839.606.089,00

Tenga en cuenta lo siguiente:

- Si tiene alguna consulta con respecto a la sección "Detalles del Servicio" de este documento de pedido o considera que se requiere alguna corrección, comuníquese con su Representante de Ventas de Soporte de Oracle identificado en la primera página de este documento de pedido.
- Antes de firmar este documento de pedido, lea las Políticas de Soporte Técnico de Oracle, incluida la Política de Soporte De Por Vida [*Lifetime Support Policy*]. Si sus programas y/o su hardware se mencionan en la Política de Soporte De Por Vida de Oracle, estos pueden pasar a un nivel de servicios diferente durante la vigencia de los servicios adquiridos en virtud de este documento de pedido. Si se ofrece Soporte Extendido, se cobrará una tarifa adicional por dicho soporte en caso de ordenarse. Si Usted desea adquirir Soporte Extendido, comuníquese con su Representante de Ventas de Soporte de Oracle identificado en la primera página de este documento de pedido.
- En caso de que Oracle acepte su pedido, la fecha de inicio establecida en la tabla "Detalles del Servicio" precedente se tomará como la fecha de inicio de los Servicios de Soporte Técnico y dichos Servicios de Soporte Técnico solicitados mediante este documento de pedido serán prestados hasta la fecha de finalización especificada en la tabla para los programas y/o hardware aplicables ("Período de Soporte").
- Si alguno de los campos de la tabla "Detalles del Servicio" que antecede está en blanco, significa que no se aplica a los programas y/o al hardware correspondientes para los que Usted adquiere

los servicios de soporte técnico.

TÉRMINOS DE LOS SERVICIOS DE SOPORTE TÉCNICO

Si el Cliente y el nombre indicado en la Información para el Envío de la Cotización al Cliente que figuran en la tabla "Información General" precedente no coinciden, SERVICIO NACIONAL DE APRENDIZAJE SENA declara que el Cliente ha autorizado a SERVICIO NACIONAL DE APRENDIZAJE SENA a firmar este documento de pedido en representación del Cliente y a obligar al Cliente conforme a los términos establecidos en el presente. SERVICIO NACIONAL DE APRENDIZAJE SENA acuerda que los servicios ordenados son para el beneficio exclusivo del Cliente y sólo serán utilizados por éste. SERVICIO NACIONAL DE APRENDIZAJE SENA se compromete a informar al Cliente los términos del presente documento de pedido así como las comunicaciones recibidas de Oracle en relación con los servicios.

Si el Cliente y el nombre indicado en la Información para la Facturación al Cliente que figuran en la tabla "Información General" precedente no coinciden, el Cliente acuerda que: a) el Cliente es el responsable final de los pagos que deban realizarse en virtud de este documento de pedido; y b) en caso de que SERVICIO NACIONAL DE APRENDIZAJE SENA no realizara el pago en forma oportuna de acuerdo con los términos de este documento de pedido, se considerará que el Cliente ha incurrido en incumplimiento y, además de cualquier otro recurso de que disponga Oracle, Oracle podrá dar por terminados los servicios de soporte técnico prestados al Cliente en virtud de este documento de pedido.

El soporte técnico se proporciona conforme a las Políticas de Soporte Técnico de Oracle vigentes en el momento en que se prestan los servicios. Las Políticas de Soporte Técnico están sujetas a modificaciones a discreción de Oracle; sin embargo, Oracle no reducirá de forma significativa el nivel de los servicios proporcionados para los programas y/o el hardware que reciben soporte durante el período por el cual se han pagado tarifas de soporte técnico. Usted debe leer las Políticas de Soporte Técnico antes de suscribir este documento de pedido. La versión vigente de las Políticas de Soporte Técnico puede consultarse en <http://www.oracle.com/lad/corporate/policy/index.html>.

Los servicios de soporte técnico adquiridos en virtud del presente documento de pedido se rigen por los términos y las condiciones del contrato aplicable que se identifica a continuación (el "contrato"):

- El contrato que Usted ha firmado con Oracle o un proveedor adquirido por Oracle por servicios de soporte técnico para los programas y/o el hardware enumerados en la sección "Detalles del Servicio" que antecede. Todo uso de los programas y/o el hardware, que incluye por definición las actualizaciones y otros materiales que Oracle provea o ponga a disposición como parte de los servicios de soporte técnico, se encuentra sujeto a los derechos otorgados respecto de los programas y/o el hardware según se detallan en la orden conforme a la cual se han adquirido los programas y/o el hardware; o bien
- Si Usted no posee actualmente un contrato de servicios de soporte técnico con Oracle, Usted acepta que los términos del Contrato Marco Transaccional En Línea de Oracle localizado en <https://www.oracle.com/corporate/contracts/contract-documents/master-agreement.html>, que está vigente en el momento en que Usted acepta Su orden de renovación, rigen la prestación de los servicios de soporte técnico ordenados en virtud de esta orden de renovación, así como Sus derechos de utilizar actualizaciones y otros materiales que Oracle provea o ponga a disposición en virtud de los servicios de soporte técnico. Si fuera aplicable, Usted debe leer el Contrato Marco Transaccional En Línea de Oracle antes de suscribir esta orden de renovación.

Este documento de pedido incorpora el contrato por referencia. En caso de inconsistencias entre los términos contenidos en este documento de pedido y el contrato, prevalecerá este documento de pedido.

Indemnización

Si un tercero reclama ya sea en contra de usted o de Oracle ("Receptor", término que puede referirse a usted o a Oracle dependiendo de quién sea la parte que recibe el Material) que cualquier información,

diseño, instrucción, especificación, software, dato o material (conjuntamente el "Material") proporcionado ya sea por usted u Oracle ("Proveedor", término que puede referirse a usted o a Oracle dependiendo de quién sea la parte que proporciona el Material) y usada por el Receptor infringe sus derechos de propiedad intelectual, el Proveedor bajo su propio costo defenderá al Receptor de cualquier reclamación e indemnizará a este último por los daños, responsabilidad, costos y gastos determinados por autoridad judicial correspondiente como resultado de la reclamación de un tercero o del convenio conciliatorio acordado por el Proveedor, siempre y cuando el Receptor: Notifique al Proveedor inmediatamente y por escrito de la reclamación, en un plazo no mayor de 30 días contados a partir de que el Receptor reciba la notificación de la reclamación, (o antes si así lo requiere la ley aplicable); Otorgue al Proveedor el control absoluto de la defensa y de cualquier transacción o negociación conciliatoria; y, Otorgue al Proveedor la información, autoridad, facultades y asistencia necesaria para defender o conciliar la reclamación.

Si el Proveedor considera o se determina que cualquier Material pudo haber violado los derechos de propiedad intelectual de un tercero, el Proveedor tendrá la opción de modificar el Material para que cese la infracción (en tanto preserve substancialmente su utilidad o funcionalidad), u obtener una licencia para permitir la continuación del uso del Material. Si estas alternativas no son comercialmente razonables, el Proveedor podrá terminar la licencia y requerir la devolución del Material respectivo y rembolsar cualquier pago que el Receptor haya efectuado a la otra parte por dicho Material así como cualesquiera tarifas pagadas de Soporte Técnico a Oracle que no haya sido utilizado para las licencias. Si usted es el Proveedor y la devolución del Material afecta substancialmente la facultad de Oracle para cumplir con sus obligaciones conforme a la orden respectiva, entonces Oracle podrá, a su discreción, dar por terminada la orden previa notificación por escrito con treinta (30) días naturales de anticipación al Cliente. El Proveedor no indemnizará al Receptor, si éste altera el Material o lo usa fuera del alcance de uso previsto en la documentación de uso del Proveedor, o si el Receptor utiliza una versión obsoleta del Material, si la reclamación por infracción pudo haberse evitado utilizando una versión no alterada o actualizada del Material que haya sido proveída al Receptor. El Proveedor no indemnizará al Receptor si la reclamación se basa en cualquier información, diseño, especificación, instrucción, software, datos o material no suministrado por el Proveedor. Oracle no indemnizará a usted si el reclamo se basa en la combinación de cualquier Material con productos o servicios no proporcionados por Oracle. Oracle no le indemnizará por la violación causada por sus propias acciones contra cualquier tercero si los programas Oracle, como fueron entregados a usted y usados de acuerdo con los términos de este contrato no violarían derechos de propiedad intelectual de terceros. Oracle no indemnizará a Usted por cualquier reclamación de incumplimiento que se base en: (1) una patente donde usted fue notificado antes de la fecha de entrada en vigencia de este contrato (en virtud de una demanda, reclamación o notificación); o (2) sus acciones previas a la fecha de entrada en vigencia del presente contrato. Esta sección establece los derechos, acciones y recursos exclusivos de las partes respecto de cualquier reclamación por violación de derechos o daños.

Limitación de Responsabilidad

NINGUNA DE LAS PARTES SERÁ RESPONSABLE POR CUALQUIER DAÑO INDIRECTO, INCIDENTAL, ESPECIAL, PUNITIVO O CONSECUENTE O POR LUCRO CESANTE, PÉRDIDA DE INGRESOS, INFORMACIÓN O USO DE INFORMACIÓN. LA RESPONSABILIDAD MÁXIMA DE ORACLE POR CUALQUIER DAÑO Y PERJUICIO CONFORME A O RELACIONADO CON EL PRESENTE CONTRATO O SU DOCUMENTO DE PEDIDO, YA SEA CONTRACTUAL O EXTRA CONTRACTUAL, U OTRA, ESTARÁ LIMITADA AL MONTO DE LAS TARIFAS QUE USTED LE HAYA PAGADO A ORACLE BAJO ESTE CONTRATO, Y SI DICHOS DAÑOS Y PERJUICIOS RESULTAN DE SU USO DE LOS PROGRAMAS O SERVICIOS, DICHA RESPONSABILIDAD ESTARÁ

LIMITADA A LAS TARIFAS QUE USTED LE HAYA PAGADO A ORACLE POR EL PROGRAMA O SERVICIO DEFICIENTE QUE DA ORIGEN A LA RESPONSABILIDAD.

DETALLES DE PROCESAMIENTO DE PEDIDO

Su orden queda sujeta a la aprobación de Oracle. Su orden se considera presentada cuando Usted proporcione a Oracle la información relacionada con el pago (por ejemplo, su orden de compra según se detalla a continuación) o cuando existe un contrato formalizado con Oracle Financing. Una vez presentada, su orden no podrá ser cancelada y las sumas pagadas no serán reembolsables, a excepción de lo dispuesto en el contrato.

Las tarifas de Soporte Técnico se facturan en su total por adelantado. Todas las tarifas se deben pagar a Oracle en un período de CO_30 NET a partir de la fecha de facturación.

Oracle le emitirá una factura una vez que reciba una orden de compra o una forma de pago que considere aceptable. Usted acuerda pagar cualquier impuesto sobre las ventas, sobre el valor agregado o cualquier otro impuesto similar exigido por la ley aplicable, excepto los impuestos sobre la renta de Oracle.

Orden de Compra

En el caso de que los servicios de soporte técnico que se mencionan en este documento de pedido se ordenen y paguen conforme a una orden de compra, dicha orden de compra debe ser en un formato no editable (por ejemplo, PDF) y deberá incluir la siguiente información:

- Número de Servicio de Soporte: 6826997
- Precio Total: COP 1.839.606.089,00
- Impuesto local, si corresponde

Al emitir una orden de compra, SERVICIO NACIONAL DE APRENDIZAJE SENA acuerda que los términos de este documento de pedido y el contrato reemplazan los términos de la orden de compra o de cualquier otro documento que no pertenezca a Oracle, y ninguno de los términos incluidos en dicha orden de compra u otro documento que no pertenezca a Oracle se aplicará a los servicios de soporte técnico ordenados en virtud de este documento de pedido.

La orden de compra deberá enviarse a Oracle por correo electrónico o fax conforme a la sección "Información sobre envíos" que se proporciona a continuación.

La firma al pie ratifica el compromiso de SERVICIO NACIONAL DE APRENDIZAJE SENA de pagar los servicios ordenados de conformidad con los términos de este documento de pedido.

SERVICIO NACIONAL DE APRENDIZAJE SENA

Firma Autorizada

Nombre

Cargo

Fecha de Firma

Información sobre Envíos

Las órdenes de compra correspondientes a los servicios de soporte técnico ordenados en virtud de este documento de pedido deben enviarse a:

Attn:	Diana Paola Olaya Ortiz
	Servicios de Soporte Oracle
Fax:	
Correo Electrónico	diana.paola.olaya@oracle.com